#### Official Minutes

An official meeting of the Town Board Meeting of the Town Board of the Town of Lima, County of Livingston and the State of New York was held at the Town Hall, 7329 East Main Street, Lima, New York, on the 4th day of March 2025 at 6:30 P.M. Notice was printed in the Mendon-Honeoye Falls-Lima Sentinel.

Present: Supervisor, Michael Falk

Councilperson, Mark Petroski Councilperson, Ron Blodgett Councilperson, Steve Werner Councilperson, Bill Carey Town Attorney, Jim Campbel Deputy Town Clerk, Laurie Arner

Guest(s): Jason Molino (Liv. CO. Water/Sewer Authority), Eric Weiss (Clark Patterson Lee), Numerous Guests in attendance. The Town Board Meeting Sign In Sheet is attached.

Supervisor Falk called the meeting to order at 6:30 P.M., with the Pledge to the Flag.

## Approval of the Agenda

Supervisor Falk stated Highway Supervisor John Sokolofsky requested the agenda be amended to add #12 D to discuss the garage door openers for the Highway Garage.

On a motion by Councilperson Werner to amend and accept the agenda, seconded by Councilperson Petroski, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

## **Town Board Meeting Protocols**

Supervisor Falk read new Town Board meeting protocols as follows: "The Town of Lima follows NYS Open Meetings Law procedures. All meetings of the Town Board are duly noticed and open and accessible to the public. The public is there to witness the proceedings only. In the event of a Public Hearing, people may sign in and speak to the board and those assembled regarding the hearing topic for a maximum of 5 minutes once per board

meeting. Speaking time belongs only to the speaker and may not be reassigned to someone else. Privileges of the floor may be granted to anyone who wishes to address the board on any topic at all. In order for the public to be properly noticed the Privileges of the Floor must be applied for and approved by 5 calendar days prior to the Board meeting date. Privileges of the floor are not to exceed 20 min. Approval authority for privileges of the floor is held by the Supervisor or the Deputy Supervisor if the Supervisor is unavailable. At the beginning of each meeting the public may sign up to speak for 5 minutes on any posted agenda topic. Questions can be answered during the agenda discussion or logged for answer after research. At the very end of each meeting the public may sign up to speak for 5 minutes on any topic at all. Questions can be answered or researched and answered later."

#### **Public Comments on Agenda Items**

- \*M. Britt expressed his disappointment at the change in the map of the water plan from August 28 to December 8. He requested the 1000' of water be eliminated on York St.
- \*S. Caccamise explained the satisfaction of water for all, fire protection, updating and increasing the infrastructure of the Town.
- \*J. Decker spoke about the reliability of town water and the minimal costs to all.

## **Open Bids for Timber Harvesting**

Two bids were received for the timber harvesting behind the Town Hall and the Methodist Cemetery on College St. Quantz from Wayland (\$300/tree) and Lakeview from Leicester (Town Hall - \$1650. And College St - \$3000). Lakeview's bid was received within the time limits of March 3, 2024 at 4pm. Quantz's bid was received after the due date.

On a motion by Councilperson Werner to accept Lakeview's Bid and to apply the \$4650 income towards maintaining the cemeteries, seconded by Councilperson Blodgett, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

## **Building Inspector/Code Enforcement Officer Report**

BI/CEO Charlie Floeser emailed his report for board review. Supervisor Falk asked if everyone reviewed said report.

#### Supervisor's Report

Supervisor Falk asked if everyone reviewed said report.

On a motion by Councilperson Petroski to accept the Supervisor's Report, seconded by Councilperson Blodgett, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

Councilperson Petroski stated the "A" account was off. However, the monies to pay for the playground at the Park have not been taken out of the "B" account to offset it.

## **Supervisor: Communications to the Board**

Received:

\*IH Richardsons send a thank you to the Town with a \$1K check for allowing them to park their vehicles behind the Town Hall. It will be deposited into the Building Reserve account.

## **February 4th Town Board Minutes**

Upon motion by Councilperson Petroski to approve the February 4<sup>th</sup> Board Meeting minutes, seconded by Councilperson Carey, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

## **Approval of Abstracts of Audited Vouchers**

Resolved that the bills contained on Abstract #3 have been reviewed by the Town Board and are authorized for payment in the following amounts:

 General Funds:
 No. 39 through 73
 \$18,731.41

 Highway Funds:
 No. 21 through 34
 \$57,089.79

 Water District:
 No. 1
 \$17,305.35

On a motion by Councilperson Petroski to accept, seconded by Councilperson Werner, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

#### Water District #5

# Resolution #6 of 2025 - Lead Agency Designation & SEQRA Determination

Attorney Jim Campbell discussed the requirements and read the Full Environmental Assessment Form. Each board member agreed with the survey or asked for clarification as to the survey question.

On a motion by Councilperson Blodgett to accept the Lead Agency Designation and SEQRA determination, seconded by Councilperson Werner, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

#### Resolution #7 of 2025 - Formation of Water District

Attorney Campbell explained permissive and mandatory referendums along with the requirements to be able to cast a vote.

Councilperson Blodgett asked for a motion to accept a mandatory referendum to form the Water District #5.

Councilperson Petroski requested Councilperson Blodgett withdraw the motion as the Town has been very transparent, offered workshops, mailings and surveys over the past two years. Councilperson Petroski would like a permissive referendum.

On a motion by Councilperson Blodgett to form the Water District #5 subject to the mandatory referendum passing, seconded by Councilperson Werner, the vote went as follows:

CARRIED Ayes: 2 Blodgett, Werner

Nays: 3 Falk, Petroski, Carey

Motion did not pass.

On a motion by Councilperson Petroski to form the Water District #5 subject to the permissive referendum passing, seconded by Councilperson Carey, the vote went as follows:

CARRIED Ayes: 3 Falk, Petroski, Carey

Nays: 2 Blodgett, Werner

### **Highway Department Monthly Report**

Highway Superintendent Sokolofsky was absent from the Meeting as he was lobbying in Albany for CHPs monies. Highway Superintendent Sokolofsky submitted the Highway Report. Councilperson Blodgett explained.

- a) 15A Crosswalk No permission or updates but this must be addressed as it needs to be completed.
- b) Inventory and Equipment Councilperson Blodgett will work with Highway Superintendent Sokolofsky to provide a plan and list of equipment needed. Truck is being auctioned on auctioninternational.com
- c) Salt Shed Will need to reapply for grant. The Shed is in disrepair and should be torn down. More Towns with no sheds have been successful in their grant requests. Tarps will be needed to cover the salt. The shed's metal and wood can be disposed of during clean up days.

On a motion by Councilperson Petroski to demolish the current salt shed at the Town's Highway Garage, seconded by Councilperson Werner, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

d) Garage Door Openers - Highway Superintendent Sokolofsky requested 6 new garage door openers. Supervisor Falk suggested a service visit and a quote. Councilperson Werner suggested Martin's in Geneva.

The Highway Holiday Schedule was submitted.

## **Corby Road Cemetery**

Is known as Comnins Corners / Cemetery which consists of Revolutionary War soldiers. Attorney Campbell is working on collateral claim of title.

On a motion by Councilperson Werner to request Attorney Campbell to acquire a quit claim deed on the Comnins Cemetery, seconded by Councilperson Blodgett, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

#### **Information Technology Services - New training required**

Councilperson Petroski stated the town will have a new website address: townoflimany.gov. There will be period of time to transfer all items to the new domain.

Councilperson Petroski requested all Town personnel watch the breach prevention training on the Skyport Portal.

Councilperson Petroski talked about the go.gov app currently being used by Lima Village to notify residents of updates, emergencies, etc.

## **Siemens Energy Services**

The permissive referendum due date is Thursday, March 6, 2025. No petitions have been filed.

## **Budget Transfers**

There were no budget transfers.

Professional Engineering Services Agreement – Solar Power Generation Not all board members were able to read this agreement over. Therefore, it will be on next month's agenda. Supervisor Falk expressed his desire to talk with other solar services providers to determine available options.

Attorney Campbell expressed his concern about the Town's current solar regulations. The Renewable Energy initiative encourages large solar farms. The Town of Avon's policy is a good example.

## **USDA Invasive Insect Survey**

This survey was conducted last year. The USDA is requesting permission to place traps on trees within the Town, which will be serviced every three weeks and removed by Nov. 30, 2025.

On a motion by Councilperson Werner to accept, seconded by Councilperson Blodgett, the vote went as follows:

CARRIED Ayes: 5 Falk, Petroski, Blodgett, Werner, Carey

Nays: 0

#### **Public Comments**

- \*K. Parnell expressed his disappointment to the Councilpersons who did not vote in a positive manner for the water district #5.
- \*M. Britt stated his displeasure in the water district #5 motion. Asked where to acquire the petition.
- \*B. Benson asked for debris clarification on the Town's Clean Up Days.
- \*J. Harrington stated he is on the Avon Town Board and suggested we look at our solar laws/regulations and expressed his approval of Attorney Campbell's input in Avon.

#### **Adjourn Meeting**

Upon motion by Councilperson Werner to adjourn at 9:17pm, seconded by Councilperson Petroski the vote was unanimous.

Attachments: Sign In Sheets Resolution #6 of 2025 Resolution #7 of 2025

Laurie Arner Deputy Town Clerk	_

## TOWN BOARD MEETING SIGN-IN SHEET DATE: MARCH 4, 2025

Name	Address
Michelle Keithler	2689 Doran Rd.
Jason & Vanla LaPlyrre	7427 & Malm
Donna McKay	7710 Corly Rd
RANDY ZEA & NANCE SCHARLOCK	1848 DORAN RD
Andrew Kingsley	1503 Rochester St
Blake Byron	WOODNIFF Rd
Mike Neenan	Clay st
Matt Delost	2535 Poplar Hill Rd.
Dwight Deb Knox	2804 Doran Rd
DAN HELEOUD	245 GAST ST HF
Chilses Helfend	245 East St HF
Oliver LaPierre	7427 East Main St
Adam Louis	2520 clay st
Len beurs	2=20 clay 51
Kelsey Parnell	lelo79 Jenks Rd
Kyle Parnell	U1079 Jenks Rd
Lil DeFranco	7130 College St
Augre LINDSAY	2112 POPLAR HILL RD
Chris Harrey	2824 Dovan rd

## TOWN BOARD MEETING SIGN-IN SHEET DATE: MARCH 4, 2025

Name	Address
Mary + Toe Decker	Doran Rd.
Brian Decker	Derna Rd
Berly Finiterane	Jeale Res
Marieta Erny	= Main
MARKBRITT	YORK ST.
Terry Chiarilli	Dalton Rd
# Octob	2409 Doran Road
Sava Warren	2282 Doran Rd
Barb Salter	Ralnbow Ln
Shirley DeMartinis	Corby Rd
S. Caccan	Doran
Tom Simpson	2360 Daran Md
MARTY GARDINER	2400 (ORBY ROAD
Trish Grazm	11870
3m HarringTon	laka FD
Jun HeringTov	Lake RD
Kou Town	most Rd
Teresa + Ray Hill	Donan Rd
Jeff + Jessice Tann	fond kd

## Beginning of Meeting - Agenda Public Comments Sign Up Sheet

	Name	Address	Phone
1	Makeli Br	1111 / / / / / / /	
2	scot er		
3	SOF DECKE	?	
4			
5			
6			
7			
8			

## End of Meeting Lima Town Board Meeting

	Name	Address	Phone
1	Mye Parnell	6679 Jeaks	
2	Mark DI-111 Black ganall	VORK 51	
3	Glace garrall		
4	*	***************************************	
5	20 Miles 20		
6	<u> </u>		
7			
8			
			-

#### TOWN BOARD TOWN OF LIMA COUNTY OF LIVINGSTON

#### RESOLUTION #6 of 2025

At a regular meeting of the Town Board of the Town of Lima, Livingston County, State of New York, held at the Lima Town Hall on the 4<sup>th</sup> day of March, 2025.

CLASSIFYING THE TOWN OF LIMA WATER DISTRICT NO. 5 IN LIVINGSTON COUNTY AS A TYPE I ACTION, ESTABLISHING LEAD AGENCY AND DETERMINING THE SIGNIFICANCE OF SUCH ACTION, AND DIRECTING THAT A NEGATIVE DECLARATION BE PUBLISHED IN ACCORDANCE WITH SEQRA.

BE IT RESOLVED BY THE TOWN BOARD OF THE TOWN OF LIMA AS FOLLOWS:

WHEREAS, the Town of Lima ("Town"), based on public interest, has proposed the formation of the Town of Lima Water District No. 5 ("District); and

WHEREAS, the proposed Town of Lima Water District No. 5 will include a total of approximately 86,810 linear feet of 8-inch and 12-inch water main, fire hydrants, gate valves, and water services. The water main will be installed along portions of Poplar Hill Road, Woodruff Road, Briggs Road, Doran Road, Jenks Road, Chase Road, Pond Road, Gleason Road, York Street, Corby Road, Dalton Road, Heath Mark-ham Road, and Egan Road and will provide water supply approximately 201 residential and commercial properties (the "Project"); and

WHEREAS, to aid the Lima Town Board ("Board") in determining whether such Project and financing and other actions of the Board in connection therewith (the "Action") might have a significant effect on the environment, the Board caused to be prepared an Environmental Assessment Form or similar information ("EAF"), a copy of which it attached hereto; and

WHEREAS, the Board duly reviewed the EAF and related documents with respect to the above-referenced project and duly considered the impacts which may be expected to result from the proposed action with the criteria set forth in the New York State Environmental Quality Review Act and the applicable regulations promulgated thereunder ("SEQRA"); and

WHEREAS, the Board determined that the project is a "Type I Action" pursuant to SEQRA; and

WHEREAS, the Board determined that the project includes one or more involved agencies, mandating a coordinated review; and

WHEREAS, the Board duly notified the other involved agencies pursuant to 6 NYCRR 617.6(3)(i), and indicated its willingness to be designated Lead Agency status for purposes of SEQR review of the proposed Action; and

WHEREAS, all of the involved agencies have consented to the Board's request to be designated Lead Agency status;

## NOW THEREFORE, BE IT RESOLVED BY THE TOWN BOARD OF THE TOWN OF LIMA AS FOLLOWS:

- The Town Board declares itself to be the Lead Agency for the Project for the proposed Action and therefore, responsible for determining whether an environmental impact statement is required in connection therewith and otherwise complying with the procedural and substantive requirements of SEQRA;
- 2. Following a thorough review and after taking the requisite "hard look" in its review of Parts 1 and Parts 2 of the Full Environmental Assessment Form, all appurtenant information and other necessary criteria, the Board hereby finds and determines that the proposed action is a "Type I Action" under SEQRA and will result in no significant environmental impacts and therefore, such Action is not one which "may include the potential for at least one significant adverse environmental impact," (b) "there will be no significant adverse environmental impacts," and (c) no "environmental impact statement" need be prepared, as such quoted terms are defined in SEQRA. Reasons supporting this determination are included in the EAF and are hereby incorporated in and made a part of this resolution for the purposes of SEQRA. This determination constitutes a Negative Declaration for purposes of SEQRA and it has been prepared in accordance with Article 8 of the Environmental Conservation Law.
- 3. A copy of this resolution shall be placed on file in the office of the Town of Lima, where the same shall be available for public inspection during business hours and such notice of negative declaration shall be filed in such offices, posted in such places and published in such manner as shall be necessary to conform to the requirements of SEQRA.

DATED: March 4, 2025

#### VOTE OF THE BOARD:

The vote duly taken resulted as follows:

Michael J. Falk, Supervisor Aye

Mark Petroski, Deputy Supervisor Aye

Bill Carey Aye

Steve Werner Aye

Ron Blodgett Aye

BY ORDER OF THE TOWN BOARD OF THE TOWN OF LIMA

Jennifer A. Heim, CMC/RMC

Town Clerk

#### Full Environmental Assessment Form Part 2 - Identification of Potential Project Impacts

Agency Use Only [If applicable]
Project : Lima Water District No. 5
Date : March 4, 2025

Part 2 is to be completed by the lead agency. Part 2 is designed to help the lead agency inventory all potential resources that could be affected by a proposed project or action. We recognize that the lead agency's reviewer(s) will not necessarily be environmental professionals. So, the questions are designed to walk a reviewer through the assessment process by providing a series of questions that can be answered using the information found in Part 1. To further assist the lead agency in completing Part 2, the form identifies the most relevant questions in Part 1 that will provide the information needed to answer the Part 2 question. When Part 2 is completed, the lead agency will have identified the relevant environmental areas that may be impacted by the proposed activity.

If the lead agency is a state agency and the action is in any Coastal Area, complete the Coastal Assessment Form before proceeding with this assessment.

#### Tips for completing Part 2:

- · Review all of the information provided in Part 1.
- · Review any application, maps, supporting materials and the Full EAF Workbook.
- · Answer each of the 18 questions in Part 2.
- If you answer "Yes" to a numbered question, please complete all the questions that follow in that section.
- . If you answer "No" to a numbered question, move on to the next numbered question.
- · Check appropriate column to indicate the anticipated size of the impact.
- Proposed projects that would exceed a numeric threshold contained in a question should result in the reviewing agency
  checking the box "Moderate to large impact may occur."
- · The reviewer is not expected to be an expert in environmental analysis.
- If you are not sure or undecided about the size of an impact, it may help to review the sub-questions for the general
  question and consult the workbook.
- . When answering a question consider all components of the proposed activity, that is, the "whole action".
- Consider the possibility for long-term and cumulative impacts as well as direct impacts.
- · Answer the question in a reasonable manner considering the scale and context of the project.

<ol> <li>Impact on Land         Proposed action may involve construction on, or physical alteration of, the land surface of the proposed site. (See Part 1. D.1)     </li> <li>If "Yes", answer questions a - j. If "No", move on to Section 2.</li> </ol>	□no		YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
<ul> <li>a. The proposed action may involve construction on land where depth to water table is less than 3 feet.</li> </ul>	E2d	Ø	
b. The proposed action may involve construction on slopes of 15% or greater.	E2f	Ø	
c. The proposed action may involve construction on land where bedrock is exposed, or generally within 5 feet of existing ground surface.	E2a	Ø	
d. The proposed action may involve the excavation and removal of more than 1,000 tons of natural material.	D2a	Ø	
<ul> <li>The proposed action may involve construction that continues for more than one year or in multiple phases.</li> </ul>	Dle	Ø	
f. The proposed action may result in increased erosion, whether from physical disturbance or vegetation removal (including from treatment by herbicides).	D2e, D2q	Ø	
g. The proposed action is, or may be, located within a Coastal Erosion hazard area.	B1i	Ø	
h. Other impacts:			

2. Impact on Geological Features  The proposed action may result in the modification or destruction of, or inhib	oit And		YES
access to, any unique or unusual land forms on the site (e.g., cliffs, dunes, minerals, fossils, caves). (See Part 1. E.2.g)  If "Yes", answer questions a - c. If "No", move on to Section 3.	<b>M</b> ∑ INC	, П	1 123
1) Tes , answer questions a - c. ly No , move on to section 3.	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. Identify the specific land form(s) attached:	E2g		п
b. The proposed action may affect or is adjacent to a geological feature listed as a registered National Natural Landmark.  Specific feature:	Е3с	0	0
c. Other impacts:		0	0
<ol> <li>Impacts on Surface Water         The proposed action may affect one or more wetlands or other surface water bodies (e.g., streams, rivers, ponds or lakes). (See Part 1. D.2, E.2.h) If "Yes", answer questions a - 1. If "No", move on to Section 4.     </li> </ol>	□NO	<b>\overline{\overline{\sigma}}</b>	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may create a new water body.	D2b, D1h	Ø	
b. The proposed action may result in an increase or decrease of over 10% or more than a 10 acre increase or decrease in the surface area of any body of water.	D2b	Ø	
c. The proposed action may involve dredging more than 100 cubic yards of material from a wetland or water body.	D2a	<b>Z</b>	
<ul> <li>d. The proposed action may involve construction within or adjoining a freshwater or tidal wetland, or in the bed or banks of any other water body.</li> </ul>	E2h	Ø	
<ul> <li>The proposed action may create turbidity in a waterbody, either from upland erosion, runoff or by disturbing bottom sediments.</li> </ul>	D2a, D2h	Ø	
f. The proposed action may include construction of one or more intake(s) for withdrawal of water from surface water.	D2c	Ø	
g. The proposed action may include construction of one or more outfall(s) for discharge of wastewater to surface water(s).	D2d	ø	
<ul> <li>The proposed action may cause soil erosion, or otherwise create a source of stormwater discharge that may lead to siltation or other degradation of receiving water bodies.</li> </ul>	D2e	Ø	
The proposed action may affect the water quality of any water bodies within or downstream of the site of the proposed action.	E2h	Ø,	
<ol> <li>The proposed action may involve the application of pesticides or herbicides in or around any water body.</li> </ol>	D2q, E2h	Ø	
k. The proposed action may require the construction of new, or expansion of existing.	D1a, D2d	Ø	

Page 2 of 10

1. Other impacts:			
4. Impact on groundwater The proposed action may result in new or additional use of ground water, or may have the potential to introduce contaminants to ground water or an aquife (See Part 1. D.2.a, D.2.c, D.2.d, D.2.p, D.2.q, D.2.t) If "Yes", answer questions a - h. If "No", move on to Section 5.	er.	· 🗆	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
<ul> <li>The proposed action may require new water supply wells, or create additional demand on supplies from existing water supply wells.</li> </ul>	D2c	0	а
<ul> <li>Water supply demand from the proposed action may exceed safe and sustainable withdrawal capacity rate of the local supply or aquifer.</li> <li>Cite Source:</li> </ul>	D2c	а	a
c. The proposed action may allow or result in residential uses in areas without water and sewer services.	D1a, D2c		0
d. The proposed action may include or require wastewater discharged to groundwater.	D2d, E2I	D	0
e. The proposed action may result in the construction of water supply wells in locations where groundwater is, or is suspected to be, contaminated.	D2c, E1f, E1g, E1h	0	0
f. The proposed action may require the bulk storage of petroleum or chemical products over ground water or an aquifer.	D2p, E2t	0	0
g. The proposed action may involve the commercial application of pesticides within 100 feet of potable drinking water or irrigation sources.	E2h, D2q, E2l, D2c	О	
h. Other impacts:	e		0
5. Impact on Flooding  The proposed action may result in development on lands subject to flooding.  (See Part 1. E.2)	Ǿno		YES
If "Yes", answer questions a - g. If "No", move on to Section 6.	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may result in development in a designated floodway.	E2i		
b. The proposed action may result in development within a 100 year floodplain.	E2j	п	0
c. The proposed action may result in development within a 500 year floodplain.	E2k	а	0
d. The proposed action may result in, or require, modification of existing drainage patterns.	D2b, D2e	0	0
e. The proposed action may change flood water flows that contribute to flooding.	D2b, E2i, E2j, E2k	0	D
f. If there is a dam located on the site of the proposed action, is the dam in need of repair, or upgrade?	Ele	0	а

Page 3 of 10

g. Other impacts:			0	
(See Part 1, I	Air I action may include a state regulated air emission source. D.2.f., D.2.h, D.2.g) wer questions a - f. If "No", move on to Section 7.	<b>Z</b> NO	· □	]YES
y 163 , uni	Wer questions a 1 y 140 , move on to section .	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
also emit one or i. More than ii. More than iii. More than iv. More than v. More than hydrochlore	action requires federal or state air emission permits, the action may more greenhouse gases at or above the following levels: 1000 tons/year of carbon dioxide (CO <sub>2</sub> ) 3.5 tons/year of nitrous oxide (N <sub>2</sub> O) 1000 tons/year of carbon equivalent of perfluorocarbons (PFCs) .045 tons/year of sulfur hexafluoride (SF <sub>6</sub> ) 1000 tons/year of carbon dioxide equivalent of oflourocarbons (HFCs) emissions ar or more of methane	D2g D2g D2g D2g D2g D2g	0	00000
	ion may generate 10 tons/year or more of any one designated llutant, or 25 tons/year or more of any combination of such hazardous	D2g	D	а
rate of total conta	ion may require a state air registration, or may produce an emissions aminants that may exceed 5 lbs. per hour, or may include a heat f producing more than 10 million BTU's per hour.	D2f, D2g	п	0
d. The proposed act above.	ion may reach 50% of any of the thresholds in "a" through "c",	D2g	О	О
e. The proposed act ton of refuse per	ion may result in the combustion or thermal treatment of more than 1 hour.	D2s		п
f. Other impacts:			D	п
The proposed	lants and Animals faction may result in a loss of flora or fauna. (See Part 1. E.2.) wer questions a - j. If "No", move on to Section 8.	mq.)	No	YES
		Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
threatened or end	on may cause reduction in population or loss of individuals of any angered species, as listed by New York State or the Federal use the site, or are found on, over, or near the site.	E2o	О	а
	ion may result in a reduction or degradation of any habitat used by ed or endangered species, as listed by New York State or the federal	E2o	0	О
species of special	on may cause reduction in population, or loss of individuals, of any concern or conservation need, as listed by New York State or the ent, that use the site, or are found on, over, or near the site.	E2p		0
	on may result in a reduction or degradation of any habitat used by secial concern and conservation need, as listed by New York State or nment.	E2p	п	0

Page 4 of 10

e. The proposed action may diminish the capacity of a registered National Natural Landmark to support the biological community it was established to protect.	ЕЗс		
f. The proposed action may result in the removal of, or ground disturbance in, any portion of a designated significant natural community. Source:	E2n	П	
g. The proposed action may substantially interfere with nesting/breeding, foraging, or over-wintering habitat for the predominant species that occupy or use the project site.	E2m	0	0
h. The proposed action requires the conversion of more than 10 acres of forest, grassland or any other regionally or locally important habitat.  Habitat type & information source:	E1b	0	О
<ol> <li>Proposed action (commercial, industrial or recreational projects, only) involves use of herbicides or pesticides.</li> </ol>	D2q	п	0
j. Other impacts:		0	П
	-		
<ol> <li>Impact on Agricultural Resources         The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.     </li> </ol>	Relevant Part I	No, or small	Moderate to large
The proposed action may impact agricultural resources. (See Part 1. E.3.a.	Relevant	No, or	
The proposed action may impact agricultural resources. (See Part 1. E.3.a.	Relevant Part I	No, or small impact	to large impact may
The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.  a. The proposed action may impact soil classified within soil group 1 through 4 of the	Relevant Part I Question(s)	No, or small impact may occur	to large impact may occur
The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.  a. The proposed action may impact soil classified within soil group 1 through 4 of the NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land	Relevant Part I Question(s)	No, or small impact may occur	to large impact may occur
The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.  a. The proposed action may impact soil classified within soil group 1 through 4 of the NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).  c. The proposed action may result in the excavation or compaction of the soil profile of	Relevant Part 1 Question(s)  E2c, E3b  E1a, Elb	No, or small impact may occur	to large impact may occur
The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.  a. The proposed action may impact soil classified within soil group 1 through 4 of the NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).  c. The proposed action may result in the excavation or compaction of the soil profile of active agricultural land.  d. The proposed action may irreversibly convert agricultural land to non-agricultural uses, either more than 2.5 acres if located in an Agricultural District, or more than 10	Relevant Part I Question(s)  E2c, E3b  E1a, Elb  E3b	No, or small impact may occur	to large impact may occur
The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.  a. The proposed action may impact soil classified within soil group 1 through 4 of the NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).  c. The proposed action may result in the excavation or compaction of the soil profile of active agricultural land.  d. The proposed action may irreversibly convert agricultural land to non-agricultural uses, either more than 2.5 acres if located in an Agricultural District, or more than 10 acres if not within an Agricultural District.  e. The proposed action may disrupt or prevent installation of an agricultural land	Relevant Part I Question(s)  E2c, E3b  E1a, Elb  E3b  E1b, E3a	No, or small impact may occur	to large impact may occur
The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.  a. The proposed action may impact soil classified within soil group 1 through 4 of the NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).  c. The proposed action may result in the excavation or compaction of the soil profile of active agricultural land.  d. The proposed action may irreversibly convert agricultural land to non-agricultural uses, either more than 2.5 acres if located in an Agricultural District, or more than 10 acres if not within an Agricultural District.  e. The proposed action may disrupt or prevent installation of an agricultural land management system.  f. The proposed action may result, directly or indirectly, in increased development	Relevant Part I Question(s)  E2c, E3b  E1a, Elb  E3b  E1b, E3a  El a, E1b  C2c, C3,	No, or small impact may occur	to large impact may occur

<ol> <li>Impact on Aesthetic Resources         The land use of the proposed action are obviously different from, or are in sharp contrast to, current land use patterns between the proposed project and a scenic or aesthetic resource. (Part 1. E.1.a, E.1.b, E.3.h.)     </li> <li>If "Yes", answer questions a - g. If "No", go to Section 10.</li> </ol>	<b>⊠</b> N	0 [	]YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
Proposed action may be visible from any officially designated federal, state, or local scenic or aesthetic resource.	E3h		0
<ul> <li>The proposed action may result in the obstruction, elimination or significant screening of one or more officially designated scenic views.</li> </ul>	E3h, C2b	0	О
c. The proposed action may be visible from publicly accessible vantage points:     i. Seasonally (e.g., screened by summer foliage, but visible during other seasons)     ii. Year round	E3h	0	0 0
d. The situation or activity in which viewers are engaged while viewing the proposed action is:  i. Routine travel by residents, including travel to and from work ii. Recreational or tourism based activities	E3h E2q, E1c	0	0.0
The proposed action may cause a diminishment of the public enjoyment and appreciation of the designated aesthetic resource.	E3h	О	0
f. There are similar projects visible within the following distance of the proposed project:  0-1/2 mile  ½-3 mile  3-5 mile  5+ mile	Dia, Ela, Dif, Dig	0	
g. Other impacts:			0
<ol> <li>Impact on Historic and Archeological Resources         The proposed action may occur in or adjacent to a historic or archaeological resource. (Part 1. E.3.e, f. and g.)         If "Yes", answer questions a - e. If "No", go to Section 11.     </li> </ol>	□NO	) <b>Z</b>	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may occur wholly or partially within, or substantially contiguous to, any buildings, archaeological site or district which is listed on the National or State Register of Historical Places, or that has been determined by the Commissioner of the NYS Office of Parks, Recreation and Historic Preservation to be eligible for listing on the State Register of Historic Places.	E3e	2	0
b. The proposed action may occur wholly or partially within, or substantially contiguous to, an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory.	E3f	Ø	
c. The proposed action may occur wholly or partially within, or substantially contiguous to, an archaeological site not included on the NY SHPO inventory. Source:	E3g	₫	

Page 6 of 10

d. Other impacts:			
If any of the above (a-d) are answered "Moderate to large impact may occur", continue with the following questions to help support conclusions in Part 3:			
<ol> <li>The proposed action may result in the destruction or alteration of all or part of the site or property.</li> </ol>	E3e, E3g, E3f		
<ol> <li>The proposed action may result in the alteration of the property's setting or integrity.</li> </ol>	E3e, E3f, E3g, E1a, E1b		
iii. The proposed action may result in the introduction of visual elements which are out of character with the site or property, or may alter its setting.	E3e, E3f, E3g, E3h, C2, C3		
11. Impact on Open Space and Recreation The proposed action may result in a loss of recreational opportunities or a reduction of an open space resource as designated in any adopted municipal open space plan. (See Part 1. C.2.c, E.1.c., E.2.q.) If "Yes", answer questions a - e. If "No", go to Section 12.	✓N	0 [	]YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may result in an impairment of natural functions, or "ecosystem services", provided by an undeveloped area, including but not limited to stormwater storage, nutrient cycling, wildlife habitat.	D2e, E1b E2h, E2m, E2o, E2n, E2p	Ö	0
b. The proposed action may result in the loss of a current or future recreational resource.	C2a, E1c, C2c, E2q	0	П
c. The proposed action may eliminate open space or recreational resource in an area with few such resources.	C2a, C2c E1c, E2q	а	0
d. The proposed action may result in loss of an area now used informally by the community as an open space resource.	C2c, E1c		
e. Other impacts:		п	п
12. Impact on Critical Environmental Areas  The proposed action may be located within or adjacent to a critical environmental area (CEA). (See Part 1. E.3.d)  If "Yes", answer questions a - c. If "No", go to Section 13.	<b>√</b> N0	0 [	YES
y res , unswer questions u = t - y - no - go to section 13	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may result in a reduction in the quantity of the resource or characteristic which was the basis for designation of the CEA.	E3d	0	0
b. The proposed action may result in a reduction in the quality of the resource or characteristic which was the basis for designation of the CEA.	E3d	0	0
c. Other impacts:		۵	п

Page 7 of 10

13. Impact on Transportation  The proposed action may result in a change to existing transportation system (See Part 1. D.2.j)	s. 🚺 N	0 🗆	YES
If "Yes", answer questions α - f. If "No", go to Section 14.	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
Projected traffic increase may exceed capacity of existing road network.	D2j	0	0
<ul> <li>The proposed action may result in the construction of paved parking area for 500 or more vehicles.</li> </ul>	D2j	П	П
c. The proposed action will degrade existing transit access.	D2j	0	
d. The proposed action will degrade existing pedestrian or bicycle accommodations.	D2j	0	0
e. The proposed action may alter the present pattern of movement of people or goods.	D2j		0
f. Other impacts:		0	0
14. Impact on Energy The proposed action may cause an increase in the use of any form of energy. (See Part 1. D.2.k) If "Yes", answer questions a - e. If "No", go to Section 15.	Relevant	O D	YES Moderate
	Part I Question(s)	small impact may occur	to large impact may occur
a. The proposed action will require a new, or an upgrade to an existing, substation.	D2k	0	0
b. The proposed action will require the creation or extension of an energy transmission or supply system to serve more than 50 single or two-family residences or to serve a commercial or industrial use.	D1f, D1q, D2k		
c. The proposed action may utilize more than 2,500 MWhrs per year of electricity.	D2k	0	
d. The proposed action may involve heating and/or cooling of more than 100,000 square feet of building area when completed.	Dlg	0	П
e. Other Impacts:			
15. Impact on Noise, Odor, and Light  The proposed action may result in an increase in noise, odors, or outdoor light (See Part 1. D.2.m., n., and o.)  If "Yes", answer questions a -f. If "No", go to Section 16.	iting. NO		YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
<ul> <li>The proposed action may produce sound above noise levels established by local regulation.</li> </ul>	D2m	Ø	
<ul> <li>The proposed action may result in blasting within 1,500 feet of any residence, hospital, school, licensed day care center, or nursing home.</li> </ul>	D2m, E1d	Z	
c. The proposed action may result in routine odors for more than one hour per day.	D2o	Ø	

Page 8 of 10

d. The proposed action may result in light shining onto adjoining properties.	D2n	l ⊠′	
The proposed action may result in lighting creating sky-glow brighter than existing area conditions.	D2n, E1a	₫	
f. Other impacts:			
	- 150s		
16. Impact on Human Health The proposed action may have an impact on human health from exposure to new or existing sources of contaminants. (See Part 1.D.2.q., E.1. d. f. g. a If "Yes", answer questions a - m. If "No", go to Section 17.	nd h.)	p 🗆	YES
	Relevant Part I Question(s)	No,or small impact may eccur	Moderate to large impact may occur
a. The proposed action is located within 1500 feet of a school, hospital, licensed day care center, group home, nursing home or retirement community.	E1d		п
b. The site of the proposed action is currently undergoing remediation.	Elg, Elh	0	0
c. There is a completed emergency spill remediation, or a completed environmental site remediation on, or adjacent to, the site of the proposed action.	Elg, Elh	D	
d. The site of the action is subject to an institutional control limiting the use of the property (e.g., easement or deed restriction).	Elg, Elh	а	G
e. The proposed action may affect institutional control measures that were put in place to ensure that the site remains protective of the environment and human health.	Elg, Elh	0	П
f. The proposed action has adequate control measures in place to ensure that future generation, treatment and/or disposal of hazardous wastes will be protective of the environment and human health.	D2t	П	а
<ul> <li>g. The proposed action involves construction or modification of a solid waste management facility.</li> </ul>	D2q, E1f	0	Ð
h. The proposed action may result in the unearthing of solid or hazardous waste.	D2q, E1f	О	٥
<ol> <li>The proposed action may result in an increase in the rate of disposal, or processing, of solid waste.</li> </ol>	D2r, D2s	<b>D</b>	0
j. The proposed action may result in excavation or other disturbance within 2000 feet of a site used for the disposal of solid or hazardous waste.	Elf, Elg Elh	ם	0
k. The proposed action may result in the migration of explosive gases from a landfill site to adjacent off site structures.	Elf, Elg		В
<ol> <li>The proposed action may result in the release of contaminated leachate from the project site.</li> </ol>	D2s, E1f, D2r	0	0
m. Other impacts:			
Table 101 122 Value			8

D2n

17. Consistency with Community Plans	-/	-	V201987
The proposed action is not consistent with adopted land use plans.  (See Part 1, C.1, C.2, and C.3.)	<b>▼</b> NO	Π,	YES
If "Yes", answer questions a - h. If "No", go to Section 18.			
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
<ul> <li>a. The proposed action's land use components may be different from, or in sharp contrast to, current surrounding land use pattern(s).</li> </ul>	C2, C3, D1a E1a, E1b	D	0
b. The proposed action will cause the permanent population of the city, town or village in which the project is located to grow by more than 5%.	C2		В
c. The proposed action is inconsistent with local land use plans or zoning regulations.	C2, C2, C3		0
d. The proposed action is inconsistent with any County plans, or other regional land use plans.	C2, C2		D
e. The proposed action may cause a change in the density of development that is not supported by existing infrastructure or is distant from existing infrastructure.	C3, D1c, D1d, D1f, D1d, Blb	0	а
f. The proposed action is located in an area characterized by low density development that will require new or expanded public infrastructure.	C4, D2c, D2d D2j		D
g. The proposed action may induce secondary development impacts (e.g., residential or commercial development not included in the proposed action)	C2a	О	П
h, Other:		0	D
18. Consistency with Community Character The proposed project is inconsistent with the existing community character. (See Part 1. C.2, C.3, D.2, E.3) If "Yes", answer questions a - g. If "No", proceed to Part 3.	<b>₹</b> No		'ES
	Relevant Part 1 Question(s)	No, or small impact may occur	Moderate to large impact may occur
<ul> <li>a. The proposed action may replace or eliminate existing facilities, structures, or areas of historic importance to the community.</li> </ul>	E3e, E3f, E3g	С	0
<ul> <li>The proposed action may create a demand for additional community services (e.g. schools, police and fire)</li> </ul>	C4	0	0
c. The proposed action may displace affordable or low-income housing in an area where there is a shortage of such housing.	C2, C3, D1f D1g, E1a	0	0
<ul> <li>d. The proposed action may interfere with the use or enjoyment of officially recognized or designated public resources.</li> </ul>	C2, E3		D
e. The proposed action is inconsistent with the predominant architectural scale and character.	C2, C3	D	а
f. Proposed action is inconsistent with the character of the existing natural landscape.	C2, C3 E1a, E1b	0	п
No.	E2g, E2h	0 222 93	

Project : Lime Water District No. 5
Date : March 3, 2025

# Full Environmental Assessment Form Part 3 - Evaluation of the Magnitude and Importance of Project Impacts and Determination of Significance

Part 3 provides the reasons in support of the determination of significance. The lead agency must complete Part 3 for every question in Part 2 where the impact has been identified as potentially moderate to large or where there is a need to explain why a particular element of the proposed action will not, or may, result in a significant adverse environmental impact.

Based on the analysis in Part 3, the lead agency must decide whether to require an environmental impact statement to further assess the proposed action or whether available information is sufficient for the lead agency to conclude that the proposed action will not have a significant adverse environmental impact. By completing the certification on the next page, the lead agency can complete its determination of significance.

#### Reasons Supporting This Determination:

To complete this section:

- Identify the impact based on the Part 2 responses and describe its magnitude. Magnitude considers factors such as severity, size or extent of an impact.
- Assess the importance of the impact. Importance relates to the geographic scope, duration, probability of the impact occurring, number of people affected by the impact and any additional environmental consequences if the impact were to occur.
- The assessment should take into consideration any design element or project changes.
- Repeat this process for each Part 2 question where the impact has been identified as potentially moderate to large or where
  there is a need to explain why a particular element of the proposed action will not, or may, result in a significant adverse
  environmental impact.
- Provide the reason(s) why the impact may, or will not, result in a significant adverse environmental impact
- For Conditional Negative Declarations identify the specific condition(s) imposed that will modify the proposed action so that
  no significant adverse environmental impacts will result,
- · Attach additional sheets, as needed.

Environmental impacts were reviewed from the standpoint of construction and from the standpoint of supplying potable water to a large area of the Town.

Construction will be temporary in nature with permit and approvals being obtained from all applicable Local, State, and Federal agencies prior to starting construction. Disturbed areas will be restored and the only visible part of the infrastructure will be the fire hydrants and a pump station on Doran Road.

While the project will extend public water to new areas of the Town, local zoning and agricultural protections will ensure development is well planned.

				Unlisted Actions	
SEQR Status:	Type 1	Unlisted			
Identify portions of EA	F completed for this Project:	Part 1	Part 2	✓ Part 3	

FEAF 2019

Upon review of the information recorded on this EAF, as noted, plus this additional support information	
and considering both the magnitude and importance of each identified potential impact, it is the conclusion  Town of Lims Town Board as lead	n of the d agency that:
A. This project will result in no significant adverse impacts on the environment, and, therefore, an enstatement need not be prepared. Accordingly, this negative declaration is issued.	nvironmental impact
B. Although this project could have a significant adverse impact on the environment, that impact wi substantially mitigated because of the following conditions which will be required by the lead agency:	II be avoided or
There will, therefore, be no significant adverse impacts from the project as conditioned, and, therefore, this declaration is issued. A conditioned negative declaration may be used only for UNLISTED actions (see 6	
C. This Project may result in one or more significant adverse impacts on the environment, and an en- statement must be prepared to further assess the impact(s) and possible mitigation and to explore alternative impacts. Accordingly, this positive declaration is issued.	
Name of Action: Town of Lima Water District No. 5	
Name of Lead Agency: Town of Lima Town Board	
Name of Responsible Officer in Lead Agency: Michael J. Falk	
Title of Responsible Officer: Town Supervisor	
Signature of Responsible Officer in Lead Agency:	Date: 3/4/2025
Signature of Preparer (if different from Responsible Officer)	Date:
For Further Information:	
Contact Person: Eric Wies	
Address: 255 Woodclift Dr Suite 200, Fairport, NY, 14450	
Telephone Number: 585-402-7529	
E-mail: ewies@cpiteam.com	
For Type 1 Actions and Conditioned Negative Declarations, a copy of this Notice is sent to:	
Chief Executive Officer of the political subdivision in which the action will be principally located (e.g., To Other involved agencies (if any) Applicant (if any) Environmental Notice Bulletin: http://www.dcc.nv.gov/enb/enb.html	own / City / Village of)

#### **SCHEDULE A**

#### TOWN OF LIMA

#### PROPOSED TOWN OF LIMA WATER DISTRICT NO. 5

TOWN OF LIMA

WATER DISTRICT NO. 5

All that tract or parcel of land situate in the Town of Lima, County of Livingston, State of New York, being described as follows:

Using the New York State Plane NAD 83, west zone, U.S. Survey foot coordinate system, beginning at a point, whose Northing is 1070575.0980' and whose Easting is 1407673.7616'; thence,

- 1. Bearing S 76° 38' 20" W for a distance of 137.05 feet, more or less, to a point; thence,
- 2. Bearing S 76° 38' 20" W for a distance of 67.09 feet, more or less, to a point; thence,
- 3. Bearing S 74° 38' 10" W for a distance of 173.88 feet, more or less, to a point; thence,
- 4. Bearing S 72° 48' 44" W for a distance of 106.73 feet, more or less, to a point; thence,
- 5. Bearing S 01° 00' 04" W for a distance of 26.42 feet, more or less, to a point; thence,
- 6. Bearing S 01° 00′ 03″ W for a distance of 400.84 feet, more or less, to a point; thence,
- 7. Bearing S 01° 18' 07" W for a distance of 1080.42 feet, more or less, to a point; thence,
- 8. Bearing S 90° 00' 00" W for a distance of 233.93 feet, more or less, to a point; thence,
- 9. Bearing S 89° 52' 18" W for a distance of 411.56 feet, more or less, to a point; thence,
- 10. Bearing S 00° 40′ 18″ E for a distance of 323.95 feet, more or less, to a point; thence,
- 11. Bearing S 00° 33' 05" E for a distance of 192.76 feet, more or less, to a point; thence,
- 12. Bearing S 00° 41′ 58″ E for a distance of 151.99 feet, more or less, to a point; thence,
- 13. Bearing S 00° 29' 10" W for a distance of 218.70 feet, more or less, to a point; thence,
- 14. Bearing S 01° 12' 35" E for a distance of 179.50 feet, more or less, to a point; thence,
- 15. Bearing S 02° 19' 25" E for a distance of 137.26 feet, more or less, to a point; thence,
- 16. Bearing S 00° 44' 41" E for a distance of 142.72 feet, more or less, to a point; thence,
- 17. Bearing S 89° 35′ 18″ W for a distance of 102.29 feet, more or less, to a point; thence,
- 18. Bearing S 35° 52' 10" W for a distance of 478.00 feet, more or less, to a point; thence,
- 19. Bearing S 25° 26' 44" W for a distance of 22.89 feet, more or less, to a point; thence,

20. Bearing S 25° 26' 39" W for a distance of 102.31 feet, more or less, to a point; thence, 21. Bearing S 15° 45' 09" W for a distance of 282.18 feet, more or less, to a point; thence, 22. Bearing S 01° 00' 07" W for a distance of 353.32 feet, more or less, to a point; thence, 23. Bearing S 88° 57' 08" E for a distance of 124.77 feet, more or less, to a point; thence, 24. Bearing S 88° 52' 24" E for a distance of 123.99 feet, more or less, to a point; thence, 25. Bearing S 00° 07' 49" E for a distance of 204.68 feet, more or less, to a point; thence, 26. Bearing S 00° 00' 00" W for a distance of 71.73 feet, more or less, to a point; thence, 27. Bearing S 00° 21' 20" E for a distance of 199.12 feet, more or less, to a point; thence, 28. Bearing S 00° 49' 22" E for a distance of 201.70 feet, more or less, to a point; thence, 29. Bearing N 88° 40' 14" W for a distance of 488.78 feet, more or less, to a point; thence, 30. Bearing S 12° 54' 31" E for a distance of 389.68 feet, more or less, to a point; thence, 31. Bearing S 71° 05′ 00" W for a distance of 119.00 feet, more or less, to a point; thence, 32. Bearing S 87° 39' 07" W for a distance of 106.01 feet, more or less, to a point; thence, 33. Bearing S 00° 12' 05" E for a distance of 72.77 feet, more or less, to a point; thence, 34. Bearing N 88° 52' 17" W for a distance of 745.88 feet, more or less, to a point; thence, 35. Bearing N 88° 46' 08" W for a distance of 453.19 feet, more or less, to a point; thence, 36. Bearing N 88° 26' 07" W for a distance of 421.05 feet, more or less, to a point; thence, 37. Bearing N 88° 35' 23" W for a distance of 154.87 feet, more or less, to a point; thence, 38. Bearing S 00° 26' 10" W for a distance of 328.04 feet, more or less, to a point; thence, 39. Bearing S 89° 19' 13" W for a distance of 391.70 feet, more or less, to a point; thence, 40. Bearing N 00° 49' 18" E for a distance of 564.26 feet, more or less, to a point; thence, 41. Bearing N 00° 49' 18" E for a distance of 268.74 feet, more or less, to a point; thence, 42. Bearing S 89° 44' 59" W for a distance of 19.41 feet, more or less, to a point; thence, 43. Bearing S 89° 44′ 59" W for a distance of 149.67 feet, more or less, to a point; thence, 44. Bearing S 89° 15' 41" W for a distance of 168.84 feet, more or less, to a point; thence, 45. Bearing N 00° 23' 09" E for a distance of 513.46 feet, more or less, to a point; thence, 46. Bearing S 88° 45' 52" W for a distance of 352.91 feet, more or less, to a point; thence,

47. Bearing N 01° 02' 24" W for a distance of 1081.10 feet, more or less, to a point; thence, 48. Bearing S 88° 47' 46" E for a distance of 2027.87 feet, more or less, to a point; thence, 49. Bearing N 00° 18' 35" E for a distance of 343.82 feet, more or less, to a point; thence, 50. Bearing N 00° 20' 07" E for a distance of 159.21 feet, more or less, to a point; thence, 51. Bearing N 64° 14' 50" E for a distance of 30.00 feet, more or less, to a point; thence, **52.** Bearing N 00° 16′ 30″ E for a distance of 118.71 feet, more or less, to a point; thence, 53. Bearing N 00° 23' 44" W for a distance of 277.30 feet, more or less, to a point; thence, 54. Bearing N 00° 25' 22" W for a distance of 269.73 feet, more or less, to a point; thence, 55. Bearing N 00° 23' 21" W for a distance of 30.03 feet, more or less, to a point; thence, 56. Bearing N 89° 02' 11" E for a distance of 318.76 feet, more or less, to a point; thence, 57. Bearing N 00° 07' 25" E for a distance of 169.58 feet, more or less, to a point; thence, 58. Bearing N 00° 15' 42" W for a distance of 228.16 feet, more or less, to a point; thence, 59. Bearing N 00° 06' 20" E for a distance of 255.04 feet, more or less, to a point; thence, 60. Bearing N 00° 20' 41" E for a distance of 428.30 feet, more or less, to a point; thence, 61. Bearing N 00° 32′ 40″ E for a distance of 60.54 feet, more or less, to a point; thence, 62. Bearing N 00° 32′ 40″ E for a distance of 227.04 feet, more or less, to a point; thence, 63. Bearing N 02° 32′ 51″ E for a distance of 173.92 feet, more or less, to a point; thence, 64. Bearing N 01° 08' 39" E for a distance of 569.14 feet, more or less, to a point; thence, 65. Bearing N 00° 48′ 36″ E for a distance of 322.25 feet, more or less, to a point; thence, Bearing S 78° 42' 44" W for a distance of 256.71 feet, more or less, to a point; thence, 66. 67. Bearing N 00° 20' 25" W for a distance of 227.60 feet, more or less, to a point; thence, 68. Bearing N 83° 54′ 30" W for a distance of 26.69 feet, more or less, to a point; thence, 69. Bearing N 01° 12' 25" W for a distance of 243.12 feet, more or less, to a point; thence, 70. Bearing N 00° 01' 51" W for a distance of 33.40 feet, more or less, to a point; thence, 71. Bearing N 01° 12' 53" W for a distance of 356.08 feet, more or less, to a point; thence, **72.** Bearing S 89° 30' 27" E for a distance of 432.20 feet, more or less, to a point; thence,

- 73. Bearing S 89° 43' 55" E for a distance of 372.45 feet, more or less, to a point; thence,
- 74. Bearing S 01° 04' 30" W for a distance of 118.79 feet, more or less, to a point; thence,
- 75. Bearing S 00° 53' 19" W for a distance of 125.01 feet, more or less, to a point; thence,
- 76. Bearing N 88° 57' 46" E for a distance of 1359.48 feet, more or less, to a point; thence,
- 77. Bearing N 89° 13' 16" E for a distance of 600.91 feet, more or less, to a point; thence,
- 78. Bearing S 00° 44′ 31″ E for a distance of 148.43 feet, more or less, to a point; thence,
- 79. Bearing S 03° 30′ 24″ E for a distance of 43.77 feet, more or less, to a point; thence,
- 80. Bearing S 00° 00' 00" W for a distance of 13.37 feet, more or less, to a point; thence,
- 81. Bearing S 00° 18' 57" W for a distance of 92.67 feet, more or less, to a point; thence,
- 82. Bearing S 00° 46' 30" E for a distance of 302.26 feet, more or less, to a point; thence,
- 83. Bearing S 00° 05' 18" W for a distance of 210.69 feet, more or less, to a point; thence,
- 84. Bearing S 00° 10′ 18″ E for a distance of 245.35 feet, more or less, to the Point of Beginning.

Using the New York State Plane NAD 83, west zone, U.S. Survey foot coordinate system, beginning at a point, whose Northing is 1070267.9902' and whose Easting is 1415285.3672'; thence,

- 1. Bearing S 85° 37' 21" E for a distance of 167.06 feet, more or less, to a point; thence,
- 2. Bearing S 85° 55' 36" E for a distance of 169.47 feet, more or less, to a point; thence,
- 3. Bearing S 05° 18' 56" W for a distance of 448.45 feet, more or less, to a point; thence,
- 4. Bearing N 89° 43′ 22″ W for a distance of 405.42 feet, more or less, to a point; thence,
- 5. Bearing S 88° 06' 41" W for a distance of 199.95 feet, more or less, to a point; thence,
- 6. Bearing S 01° 47' 27" W for a distance of 21.47 feet, more or less, to a point; thence,
- 7. Bearing S 00° 10' 04" W for a distance of 204.39 feet, more or less, to a point; thence,
- 8. Bearing S 00° 43′ 17" E for a distance of 426.59 feet, more or less, to a point; thence,
- 9. Bearing S 89° 53' 21" W for a distance of 390.67 feet, more or less, to a point; thence,
- 10. Bearing S 89° 45′ 18" W for a distance of 381.80 feet, more or less, to a point; thence,
- 11. Bearing S 00° 28′ 58″ W for a distance of 234.27 feet, more or less, to a point; thence,
- 12. Bearing S 00° 16' 15" W for a distance of 64.27 feet, more or less, to a point; thence,
- 13. Bearing S 89° 14′ 35″ W for a distance of 462.61 feet, more or less, to a point; thence,
- 14. Bearing S 00° 16' 19" E for a distance of 149.17 feet, more or less, to a point; thence,

15. Bearing S 55° 02' 06" W for a distance of 996.35 feet, more or less, to a point; thence, 16. Bearing N 83° 49' 59" W for a distance of 616.89 feet, more or less, to a point; thence, 17. Bearing N 04° 57' 44" W for a distance of 956.96 feet, more or less, to a point; thence, 18. Bearing N 04° 44′ 50" W for a distance of 1328.84 feet, more or less, to a point; thence, 19. Bearing S 86° 06' 58" E for a distance of 46.84 feet, more or less, to a point; thence, 20. Bearing S 86° 37' 10" E for a distance of 387.07 feet, more or less, to a point; thence, 21. Bearing S 86° 14' 13" E for a distance of 242.36 feet, more or less, to a point; thence, 22. Bearing N 00° 15' 46" E for a distance of 349.19 feet, more or less, to a point; thence, 23. Bearing S 87° 28' 20" E for a distance of 224.39 feet, more or less, to a point; thence, 24. Bearing S 87° 28' 20" E for a distance of 306.68 feet, more or less, to a point; thence, 25. Bearing S 88° 20' 57" E for a distance of 535.40 feet, more or less, to a point; thence, 26. Bearing N 00° 00' 00" E for a distance of 77.13 feet, more or less, to a point; thence, 27. Bearing N 87° 23' 38" E for a distance of 294.79 feet, more or less, to a point; thence, 28. Bearing N 13° 04' 56" W for a distance of 289.09 feet, more or less, to a point; thence, 29. Bearing N 13° 00' 23" W for a distance of 289.86 feet, more or less, to a point; thence, 30. Bearing N 88° 39' 19" E for a distance of 227.73 feet, more or less, to a point; thence, 31. Bearing N 88° 41' 03" E for a distance of 92.62 feet, more or less, to a point; thence, 32. Bearing S 88° 53' 18" E for a distance of 109.64 feet, more or less, to a point; thence, 33. Bearing N 89° 20' 30" E for a distance of 92.60 feet, more or less, to a point; thence, 34. Bearing N 90° 00' 00" E for a distance of 103.23 feet, more or less, to a point; thence, 35. Bearing N 89° 32' 58" E for a distance of 135.17 feet, more or less, to a point; thence, 36. Bearing N 90° 00' 00" E for a distance of 106.43 feet, more or less, to a point; thence, 37. Bearing N 89° 21' 08" E for a distance of 97.73 feet, more or less, to a point; thence, 38. Bearing N 90° 00' 00" E for a distance of 104.30 feet, more or less, to a point; thence, 39. Bearing N 89° 29' 51" E for a distance of 121.33 feet, more or less, to a point; thence, 40. Bearing N 88° 36' 16" E for a distance of 87.30 feet, more or less, to a point; thence, 41. Bearing S 00° 54' 18" W for a distance of 1123.27 feet, more or less, to the Point of Beginning.

Using the New York State Plane NAD 83, west zone, U.S. Survey foot coordinate system, beginning at a point, whose Northing is 1049574.1632' and whose Easting is 1403626.4165'; thence,

- 1. Bearing S 05° 14' 44" W for a distance of 314.00 feet, more or less, to a point; thence,
- 2. Bearing S 89° 42' 12" E for a distance of 701.87 feet, more or less, to a point; thence,
- 3. Bearing S 01° 10′ 48″ W for a distance of 905.77 feet, more or less, to a point; thence,
- 4. Bearing S 00° 42′ 23″ W for a distance of 1348.79 feet, more or less, to a point; thence.
- 5. Bearing S 89° 49' 24" W for a distance of 1550.25 feet, more or less, to a point; thence,
- 6. Bearing N 01° 29' 35" E for a distance of 2023.09 feet, more or less, to a point; thence,
- 7. Bearing S 88° 19' 28" W for a distance of 125.42 feet, more or less, to a point; thence,
- 8. Bearing S 89° 55′ 13″ W for a distance of 1281.75 feet, more or less, to a point; thence,
- 9. Bearing S 37° 34′ 36″ W for a distance of 3.27 feet, more or less, to a point; thence,
- 10. Bearing N 89° 34' 11" W for a distance of 1416.40 feet, more or less, to a point; thence,
- 11. Bearing S 00° 23' 34" E for a distance of 424.99 feet, more or less, to a point; thence,
- 12. Bearing S 00° 39′ 20″ E for a distance of 425.85 feet, more or less, to a point; thence,
- 13. Bearing S 00° 24′ 38″ E for a distance of 677.56 feet, more or less, to a point; thence,
- 14. Bearing S 00° 12' 48" E for a distance of 498.02 feet, more or less, to a point; thence,
- 15. Bearing S 01° 51′ 44″ E for a distance of 133.55 feet, more or less, to a point; thence,
- 16. Bearing S 00° 10′ 41″ W for a distance of 2088.54 feet, more or less, to a point; thence,
- 17. Bearing S 88° 54′ 00″ W for a distance of 831.00 feet, more or less, to a point; thence,
- 18. Bearing S 88° 37' 44" W for a distance of 264.98 feet, more or less, to a point; thence,
- 19. Bearing S 89° 06' 19" W for a distance of 304.60 feet, more or less, to a point; thence.
- 20. Bearing N 00° 08' 13" W for a distance of 647.31 feet, more or less, to a point; thence,
- 21. Bearing N 00° 00' 00" E for a distance of 527.80 feet, more or less, to a point; thence,
- 22. Bearing N 89° 53' 11" W for a distance of 183.53 feet, more or less, to a point; thence,

- 23. Bearing N 89° 45′ 20″ W for a distance of 39.75 feet, more or less, to a point; thence,
- 24. Bearing S 23° 58' 29" W for a distance of 397.61 feet, more or less, to a point; thence,
- 25. Bearing S 23° 39' 01" W for a distance of 344.94 feet, more or less, to a point; thence,
- 26. Bearing S 23° 52' 40" W for a distance of 260.83 feet, more or less, to a point; thence,
- 27. Bearing S 23° 49' 06" W for a distance of 286.05 feet, more or less, to a point; thence,
- 28. Bearing S 22° 35' 07" W for a distance of 269.68 feet, more or less, to a point; thence,
- 29. Bearing S 19° 41' 52" W for a distance of 253.39 feet, more or less, to a point; thence,
- 30. Bearing S 17° 53' 44" W for a distance of 9.31 feet, more or less, to a point; thence,
- 31. Bearing N 89° 55′ 02″ W for a distance of 165.70 feet, more or less, to a point; thence,
- 32. Bearing S 01° 14′ 56″ E for a distance of 279.83 feet, more or less, to a point; thence,
- 33. Bearing S 00° 14′ 13″ E for a distance of 1160.55 feet, more or less, to a point; thence,
- 34. Bearing N 86° 38' 03" W for a distance of 27.01 feet, more or less, to a point; thence,
- 35. Bearing S 00° 22' 43" E for a distance of 480.26 feet, more or less, to a point; thence,
- 36. Bearing S 00° 01′ 30″ W for a distance of 801.39 feet, more or less, to a point; thence,
- 37. Bearing N 88° 41' 57" W for a distance of 214.19 feet, more or less, to a point; thence,
- 38. Bearing N 00° 37' 56" E for a distance of 723.34 feet, more or less, to a point; thence,
- 39. Bearing N 87° 51' 21" W for a distance of 457.26 feet, more or less, to a point; thence,
- 40. Bearing S 09° 34′ 39″ W for a distance of 490.00 feet, more or less, to a point; thence,
- 41. Bearing N 85° 37' 05" W for a distance of 1131.28 feet, more or less, to a point; thence,
- 42. Bearing N 12° 03' 05" W for a distance of 219.59 feet, more or less, to a point; thence.
- 43. Bearing N 89° 23' 37" W for a distance of 87.72 feet, more or less, to a point; thence,
- 44. Bearing S 17° 42′ 30″ W for a distance of 155.14 feet, more or less, to a point; thence,
- 45. Bearing S 17° 53' 32" W for a distance of 126.40 feet, more or less, to a point; thence,

- 46. Bearing N 72° 19' 17" W for a distance of 386.49 feet, more or less, to a point; thence,
- 47. Bearing N 17° 28' 35" E for a distance of 283.84 feet, more or less, to a point; thence,
- 48. Bearing N 16° 59' 11" E for a distance of 342.14 feet, more or less, to a point; thence,
- 49. Bearing N 15° 54' 12" E for a distance of 350.69 feet, more or less, to a point; thence,
- 50. Bearing N 52° 08' 47" W for a distance of 36.81 feet, more or less, to a point; thence,
- 51. Bearing S 88° 40' 18" W for a distance of 428.53 feet, more or less, to a point; thence,
- 52. Bearing N 89° 16' 50" W for a distance of 213.32 feet, more or less, to a point; thence.
- 53. Bearing N 00° 53' 40" E for a distance of 1336.78 feet, more or less, to a point; thence,
- 54. Bearing S 89° 25' 04" E for a distance of 141.38 feet, more or less, to a point; thence,
- 55. Bearing N 07° 00' 58" E for a distance of 1005.91 feet, more or less, to a point; thence,
- 56. Bearing N 06° 56' 18" E for a distance of 423.00 feet, more or less, to a point; thence,
- 57. Bearing N 01° 27' 16" E for a distance of 91.60 feet, more or less, to a point; thence,
- 58. Bearing N 87° 57' 21" E for a distance of 51.41 feet, more or less, to a point; thence,
- 59. Bearing N 00° 01' 39" W for a distance of 189.59 feet, more or less, to a point; thence,
- 60. Bearing N 89° 38' 11" W for a distance of 440.70 feet, more or less, to a point; thence,
- 61. Bearing N 02° 12' 21" W for a distance of 910.88 feet, more or less, to a point; thence.
- 62. Bearing N 03° 37' 39" W for a distance of 110.60 feet, more or less, to a point; thence,
- 63. Bearing N 89° 52' 04" W for a distance of 21.22 feet, more or less, to a point; thence,
- 64. Bearing N 00° 00' 00" E for a distance of 30.10 feet, more or less, to a point; thence,
- 65. Bearing N 00° 47' 14" W for a distance of 128.11 feet, more or less, to a point; thence,
- 66. Bearing N 00° 57' 15" W for a distance of 624.31 feet, more or less, to a point; thence,
- 67. Bearing N 00° 50' 51" W for a distance of 247.42 feet, more or less, to a point; thence.
- 68. Bearing N 01° 00' 45" W for a distance of 288.25 feet, more or less, to a point; thence,

- 69. Bearing N 00° 31′ 16″ W for a distance of 1194.38 feet, more or less, to a point; thence,
- 70. Bearing N 00° 35′ 02″ W for a distance of 591.98 feet, more or less, to a point; thence,
- 71. Bearing N 84° 17′ 37″ W for a distance of 20.86 feet, more or less, to a point; thence,
- 72. Bearing N 00° 29' 03" W for a distance of 388.54 feet, more or less, to a point; thence,
- 73. Bearing N 00° 18' 47" E for a distance of 585.54 feet, more or less, to a point; thence,
- 74. Bearing N 89° 58′ 19″ W for a distance of 373.17 feet, more or less, to a point; thence,
- 75. Bearing N 25° 13' 07" W for a distance of 34.97 feet, more or less, to a point; thence,
- 76. Bearing N 19° 40′ 06″ W for a distance of 27.66 feet, more or less, to a point; thence,
- 77. Bearing N 18° 26' 57" W for a distance of 47.08 feet, more or less, to a point; thence,
- 78. Bearing N 16° 16' 22" W for a distance of 46.52 feet, more or less, to a point; thence,
- 79. Bearing N 10° 53′ 38″ W for a distance of 49.27 feet, more or less, to a point; thence,
- 80. Bearing N 28° 37' 45" W for a distance of 46.64 feet, more or less, to a point; thence,
- 81. Bearing N 36° 53' 35" W for a distance of 46.53 feet, more or less, to a point; thence,
- 82. Bearing N 31° 26′ 56" W for a distance of 39.26 feet, more or less, to a point; thence,
- 83. Bearing N 17° 22' 02" W for a distance of 31.19 feet, more or less, to a point; thence,
- 84. Bearing N 14° 02' 52" W for a distance of 23.02 feet, more or less, to a point; thence,
- 85. Bearing N 33° 42' 41" W for a distance of 26.84 feet, more or less, to a point; thence,
- 86. Bearing N 05° 42′ 52" W for a distance of 37.40 feet, more or less, to a point; thence,
- 87. Bearing N 00° 00' 00" E for a distance of 31.63 feet, more or less, to a point; thence,
- 88. Bearing N 17° 22' 01" W for a distance of 62.39 feet, more or less, to a point; thence,
- 89. Bearing S 89° 38' 55" E for a distance of 556.07 feet, more or less, to a point; thence,
- 90. Bearing S 02° 43' 22" E for a distance of 212.44 feet, more or less, to a point; thence,
- 91. Bearing N 89° 43' 41" E for a distance of 761.17 feet, more or less, to a point; thence,

- 92. Bearing N 89° 43' 41" E for a distance of 521.48 feet, more or less, to a point; thence,
- 93. Bearing N 00° 10' 25" W for a distance of 861.03 feet, more or less, to a point; thence,
- 94. Bearing S 85° 22' 04" E for a distance of 40.55 feet, more or less, to a point; thence,
- 95. Bearing N 89° 43′ 21″ E for a distance of 848.42 feet, more or less, to a point; thence,
- 96. Bearing N 89° 54′ 24″ E for a distance of 1211.24 feet, more or less, to a point; thence,
- 97. Bearing N 06° 35' 01" E for a distance of 99.73 feet, more or less, to a point; thence,
- 98. Bearing N 08° 35' 21" E for a distance of 135.71 feet, more or less, to a point; thence,
- 99. Bearing N 12° 43′ 23″ E for a distance of 97.35 feet, more or less, to a point; thence,
- 100. Bearing N 13° 45' 08" E for a distance of 102.95 feet, more or less, to a point; thence,
- 101. Bearing N 15° 03' 56" E for a distance of 259.22 feet, more or less, to a point; thence,
- 102. Bearing N 14° 58' 00" E for a distance of 383.19 feet, more or less, to a point; thence,
- 103. Bearing N 15° 32' 55" E for a distance of 462.18 feet, more or less, to a point; thence,
- 104. Bearing N 15° 25' 34" E for a distance of 369.51 feet, more or less, to a point; thence,
- 105. Bearing N 15° 43′ 50″ E for a distance of 215.53 feet, more or less, to a point; thence,
- 106. Bearing N 15° 22' 37" E for a distance of 241.08 feet, more or less, to a point; thence,
- 107. Bearing N 15° 06' 10" E for a distance of 167.47 feet, more or less, to a point; thence,
- 108. Bearing N 09° 33′ 17″ E for a distance of 86.18 feet, more or less, to a point; thence,
- 109. Bearing N 08° 57' 26" E for a distance of 10.94 feet, more or less, to a point; thence,
- 110. Bearing N 29° 28' 07" W for a distance of 28.96 feet, more or less, to a point; thence,
- 111. Bearing N 26° 37′ 36″ W for a distance of 173.67 feet, more or less, to a point; thence,
- 112. Bearing N 33° 34′ 34″ W for a distance of 195.73 feet, more or less, to a point; thence,
- 113. Bearing N 32° 59′ 14″ W for a distance of 283.72 feet, more or less, to a point; thence.
- 114. Bearing N 29° 59′ 32″ W for a distance of 245.84 feet, more or less, to a point; thence,

- 115. Bearing N 27° 16' 34" W for a distance of 189.31 feet, more or less, to a point; thence,
- 116. Bearing N 24° 11' 37" W for a distance of 144.10 feet, more or less, to a point; thence,
- 117. Bearing N 21° 02' 23" W for a distance of 110.42 feet, more or less, to a point; thence,
- 118. Bearing N 19° 01' 06" W for a distance of 114.61 feet, more or less, to a point; thence,
- 119. Bearing N 15° 44' 29" W for a distance of 141.00 feet, more or less, to a point; thence,
- 120. Bearing N 12° 22' 20" W for a distance of 186.20 feet, more or less, to a point; thence,
- 121. Bearing N 09° 42′ 56″ W for a distance of 165.21 feet, more or less, to a point; thence,
- 122. Bearing N 07° 56' 52" W for a distance of 142.75 feet, more or less, to a point; thence,
- 123. Bearing N 05° 03' 05" W for a distance of 297.96 feet, more or less, to a point; thence,
- 124. Bearing N 03° 19' 31" W for a distance of 360.10 feet, more or less, to a point; thence,
- 125. Bearing N 02° 46′ 59″ W for a distance of 482.94 feet, more or less, to a point; thence,
- 126. Bearing N 02° 46' 11" W for a distance of 647.69 feet, more or less, to a point; thence,
- 127. Bearing N 31° 28' 47" E for a distance of 77.56 feet, more or less, to a point; thence,
- 128. Bearing S 67° 09' 28" E for a distance of 39.64 feet, more or less, to a point; thence,
- 129. Bearing S 76° 17' 35" E for a distance of 162.97 feet, more or less, to a point; thence,
- 130. Bearing S 88° 20' 32" E for a distance of 195.10 feet, more or less, to a point; thence,
- 131. Bearing N 83° 49' 22" E for a distance of 69.93 feet, more or less, to a point; thence,
- 132. Bearing N 83° 49' 22" E for a distance of 198.48 feet, more or less, to a point; thence,
- 133. Bearing N 83° 28' 20" E for a distance of 243.62 feet, more or less, to a point; thence,
- 134. Bearing N 83° 52' 13" W for a distance of 272.93 feet, more or less, to a point; thence,
- 135. Bearing N 76° 29' 55" W for a distance of 163.21 feet, more or less, to a point; thence.
- 136. Bearing N 00° 10′ 19″ W for a distance of 498.44 feet, more or less, to a point; thence,
- 137. Bearing N 00° 38' 40" W for a distance of 230.32 feet, more or less, to a point; thence,

- 138. Bearing N 00° 00' 00" E for a distance of 230.30 feet, more or less, to a point; thence,
- 139. Bearing N 00° 00' 00" E for a distance of 222.54 feet, more or less, to a point; thence,
- 140. Bearing N 89° 26' 51" E for a distance of 499.09 feet, more or less, to a point; thence,
- 141. Bearing N 00° 15′ 52″ E for a distance of 182.30 feet, more or less, to a point; thence,
- 142. Bearing N 00° 18′ 04″ W for a distance of 195.18 feet, more or less, to a point; thence,
- 143. Bearing S 66° 46' 09" E for a distance of 906.85 feet, more or less, to a point; thence,
- 144. Bearing S 00° 00' 00" W for a distance of 90.57 feet, more or less, to a point; thence,
- 145. Bearing S 01° 31' 21" E for a distance of 193.15 feet, more or less, to a point; thence,
- 146. Bearing S 01° 28' 11" W for a distance of 201.90 feet, more or less, to a point; thence,
- 147. Bearing S 00° 25' 41" E for a distance of 346.76 feet, more or less, to a point; thence,
- 148. Bearing S 83° 26' 08" W for a distance of 615.28 feet, more or less, to a point; thence,
- 149. Bearing S 00° 39' 05" W for a distance of 84.19 feet, more or less, to a point; thence,
- 150. Bearing N 90° 00' 00" W for a distance of 22.98 feet, more or less, to a point; thence,
- 151. Bearing S 06° 53' 40" E for a distance of 257.71 feet, more or less, to a point; thence,
- 152. Bearing S 82° 54′ 26″ W for a distance of 115.32 feet, more or less, to a point; thence,
- 153. Bearing S 84° 47' 24" W for a distance of 121.10 feet, more or less, to a point; thence,
- 154. Bearing S 84° 47' 24" W for a distance of 2.72 feet, more or less, to a point; thence,
- 155. Bearing S 02° 46' 11" E for a distance of 667.57 feet, more or less, to a point; thence,
- 156. Bearing S 02° 46' 59" E for a distance of 478.21 feet, more or less, to a point; thence,
- 157. Bearing S 03° 19' 31" E for a distance of 340.31 feet, more or less, to a point; thence,
- 158. Bearing S 05° 03' 05" E for a distance of 251.21 feet, more or less, to a point; thence,
- 159. Bearing S 80° 16' 37" E for a distance of 76.84 feet, more or less, to a point; thence,
- 160. Bearing N 11° 22′ 18″ E for a distance of 341.52 feet, more or less, to a point; thence,

- 161. Bearing S 78° 47' 38" E for a distance of 202.66 feet, more or less, to a point; thence,
- 162. Bearing S 11° 16' 12" W for a distance of 394.61 feet, more or less, to a point; thence,
- 163. Bearing N 80° 37′ 38″ W for a distance of 259.86 feet, more or less, to a point; thence,
- 164. Bearing S 07° 56′ 52″ E for a distance of 45.66 feet, more or less, to a point; thence,
- 165. Bearing S 09° 42′ 56″ E for a distance of 126.60 feet, more or less, to a point; thence,
- 166. Bearing S 12° 22' 20" E for a distance of 133.60 feet, more or less, to a point; thence,
- 167. Bearing S 15° 44' 29" E for a distance of 82.99 feet, more or less, to a point; thence,
- 168. Bearing S 19° 01' 06" E for a distance of 68.36 feet, more or less, to a point; thence,
- 169. Bearing S 21° 02' 23" E for a distance of 65.25 feet, more or less, to a point; thence,
- 170. Bearing S 24° 11' 37" E for a distance of 89.66 feet, more or less, to a point; thence,
- 171. Bearing S 27° 16' 34" E for a distance of 138.70 feet, more or less, to a point; thence,
- 172. Bearing S 29° 59' 32" E for a distance of 195.99 feet, more or less, to a point; thence,
- 173. Bearing S 32° 59' 14" E for a distance of 252.44 feet, more or less, to a point; thence,
- 174. Bearing S 33° 34' 34" E for a distance of 251.31 feet, more or less, to a point; thence,
- 175. Bearing S 26° 37' 36" E for a distance of 159.70 feet, more or less, to a point; thence,
- 176. Bearing S 00° 18' 07" E for a distance of 347.52 feet, more or less, to a point; thence,
- 477. Building 0 00 10 07 E for a distance of 047.02 feet, more of tess, to a point, then of
- 177. Bearing S 00° 03′ 04″ E for a distance of 82.80 feet, more or less, to a point; thence,
- 178. Bearing N 89° 36' 27" E for a distance of 128.00 feet, more or less, to a point; thence,
- 179. Bearing N 89° 36' 29" E for a distance of 484.90 feet, more or less, to a point; thence,
- 180. Bearing N 83° 39' 49" E for a distance of 57.02 feet, more or less, to a point; thence,
- 181. Bearing S 00° 20' 47" E for a distance of 229.84 feet, more or less, to a point; thence,
- 182. Bearing S 04° 40′ 14″ W for a distance of 701.36 feet, more or less, to a point; thence,
- 183. Bearing S 00° 20′ 26″ E for a distance of 620.53 feet, more or less, to a point; thence,

- 184. Bearing S 00° 29' 42" E for a distance of 399.51 feet, more or less, to a point; thence,
- 185. Bearing S 00° 58′ 05″ W for a distance of 178.38 feet, more or less, to a point; thence,
- 186. Bearing S 16° 05' 56" W for a distance of 2.03 feet, more or less, to a point; thence,
- 187. Bearing S 14° 58' 00" W for a distance of 375.02 feet, more or less, to a point; thence,
- 188. Bearing S 15° 03' 56" W for a distance of 238.68 feet, more or less, to a point; thence,
- 189. Bearing S 13° 45' 08" W for a distance of 63.33 feet, more or less, to a point; thence,
- 190. Bearing S 12° 43′ 23″ W for a distance of 10.00 feet, more or less, to a point; thence,
- 191. Bearing S 08° 35' 21" W for a distance of 31.84 feet, more or less, to a point; thence,
- 192. Bearing S 06° 35' 01" W for a distance of 30.19 feet, more or less, to a point; thence,
- 193. Bearing S 02° 32′ 05″ W for a distance of 33.62 feet, more or less, to a point; thence,
- 194. Bearing S 00° 30′ 03″ E for a distance of 249.36 feet, more or less, to a point; thence,
- 195. Bearing S 00° 31′ 00" E for a distance of 709.52 feet, more or less, to a point; thence,
- 196. Bearing S 00° 43′ 08" E for a distance of 576.80 feet, more or less, to a point; thence,
- 197. Bearing S 00° 31′ 58″ E for a distance of 87.84 feet, more or less, to a point; thence,
- 198. Bearing N 89° 58' 34" E for a distance of 2526.89 feet, more or less, to a point; thence,
- 199. Bearing S 11° 55′ 08" W for a distance of 5.32 feet, more or less, to a point; thence,
- 200. Bearing N 89° 35' 20" E for a distance of 505.65 feet, more or less, to a point; thence,
- 201. Bearing N 86° 10' 31" E for a distance of 9.76 feet, more or less, to a point; thence,
- 202. Bearing N 84° 13' 27" E for a distance of 296.08 feet, more or less, to a point; thence,
- 203. Bearing N 85° 15' 37" E for a distance of 346.26 feet, more or less, to a point; thence,
- 204. Bearing S 88° 10' 25" E for a distance of 154.50 feet, more or less, to a point; thence,
- 205. Bearing S 89° 35′ 16″ E for a distance of 130.41 feet, more or less, to a point; thence,
- 206. Bearing N 90° 00' 00" E for a distance of 115.24 feet, more or less, to a point; thence,

- 207. Bearing S 04° 22' 01" W for a distance of 633.74 feet, more or less, to a point; thence,
- 208. Bearing S 86° 49' 21" W for a distance of 197.64 feet, more or less, to a point; thence,
- 209. Bearing S 01° 32' 24" E for a distance of 188.33 feet, more or less, to a point; thence,
- 210. Bearing S 89° 35' 16" E for a distance of 38.91 feet, more or less, to the Point of Beginning.

Using the New York State Plane NAD 83, west zone, U.S. Survey foot coordinate system, beginning at a point, whose Northing is 1049842.8393' and whose Easting is 1418560.4806'; thence,

- 1. Bearing N 89° 11' 20" E for a distance of 141.46 feet, more or less, to a point; thence,
- 2. Bearing N 89° 06′ 58″ E for a distance of 471.84 feet, more or less, to a point; thence,
- 3. Bearing N 89° 09' 29" E for a distance of 111.96 feet, more or less, to a point; thence,
- 4. Bearing N 01° 30′ 58″ W for a distance of 628.87 feet, more or less, to a point; thence,
- 5. Bearing N 88° 09' 06" W for a distance of 656.12 feet, more or less, to a point; thence,
- 6. Bearing N 00° 18' 34" W for a distance of 1297.45 feet, more or less, to a point; thence,
- 7. Bearing N 00° 18' 34" W for a distance of 813.66 feet, more or less, to a point; thence,
- 8. Bearing S 89° 24' 52" W for a distance of 796.58 feet, more or less, to a point; thence,
- 9. Bearing S 89° 24' 53" W for a distance of 309.90 feet, more or less, to a point; thence,
- 10. Bearing N 01° 02' 33" W for a distance of 646.63 feet, more or less, to a point; thence,
- 11. Bearing N 85° 14' 25" E for a distance of 283.32 feet, more or less, to a point; thence,
- 12. Bearing N 02° 06' 12" W for a distance of 641.08 feet, more or less, to a point; thence,
- 13. Bearing N 05° 43′ 52″ W for a distance of 70.92 feet, more or less, to a point; thence,
- 14. Bearing N 00° 23' 44" W for a distance of 256.00 feet, more or less, to a point; thence,
- 15. Bearing N 00° 51' 49" W for a distance of 1043.49 feet, more or less, to a point; thence,
- 16. Bearing N 87° 26' 04" W for a distance of 738.62 feet, more or less, to a point; thence,
- 17. Bearing S 88° 55' 19" W for a distance of 1307.13 feet, more or less, to a point; thence,

18. Bearing N 00° 48' 40" W for a distance of 646.14 feet, more or less, to a point; thence, 19. Bearing N 00° 40' 43" W for a distance of 763.93 feet, more or less, to a point; thence, 20. Bearing N 01° 04' 06" W for a distance of 740.38 feet, more or less, to a point; thence, Bearing S 89° 47' 29" E for a distance of 1328.74 feet, more or less, to a point; thence, 21. 22. Bearing N 00° 44' 07" W for a distance of 485.25 feet, more or less, to a point; thence, 23. Bearing N 01° 07' 42" E for a distance of 81.41 feet, more or less, to a point; thence, 24. Bearing N 00° 04' 53" W for a distance of 1179.03 feet, more or less, to a point; thence, 25. Bearing N 03° 29' 51" W for a distance of 816.42 feet, more or less, to a point; thence, 26. Bearing N 00° 38' 51" E for a distance of 78.71 feet, more or less, to a point; thence, 27. Bearing S 88° 55' 19" E for a distance of 701.37 feet, more or less, to a point; thence, 28. Bearing S 88° 55' 19" E for a distance of 1283.57 feet, more or less, to a point; thence, 29. Bearing N 01° 25′ 59" E for a distance of 199.75 feet, more or less, to a point; thence, 30. Bearing N 00° 48′ 48″ E for a distance of 199.74 feet, more or less, to a point; thence, 31. Bearing N 88° 17' 42" W for a distance of 162.17 feet, more or less, to a point; thence, 32. Bearing N 01° 12' 45" E for a distance of 228.19 feet, more or less, to a point; thence, 33. Bearing N 22° 05' 27" E for a distance of 282.28 feet, more or less, to a point; thence, 34. Bearing N 22° 00' 13" E for a distance of 424.78 feet, more or less, to a point; thence, 35. Bearing N 89° 46′ 01″ E for a distance of 547.59 feet, more or less, to a point; thence, 36. Bearing S 08° 09' 14" E for a distance of 61.43 feet, more or less, to a point; thence, 37. Bearing S 07° 19' 28" E for a distance of 77.14 feet, more or less, to a point; thence, 38. Bearing S 10° 56′ 00" E for a distance of 51.38 feet, more or less, to a point; thence, 39. Bearing S 03° 55′ 44″ E for a distance of 85.05 feet, more or less, to a point; thence, 40. Bearing S 01° 48' 42" E for a distance of 21.49 feet, more or less, to a point; thence, 41. Bearing S 89° 39' 27" E for a distance of 334.98 feet, more or less, to a point; thence, 42. Bearing S 87° 36' 55" E for a distance of 929.74 feet, more or less, to a point; thence, 43. Bearing S 00° 33′ 45″ E for a distance of 65.59 feet, more or less, to a point; thence, 44. Bearing S 00° 33' 45" E for a distance of 158.83 feet, more or less, to a point; thence, 45. Bearing S 00° 41′ 50″ E for a distance of 1258.81 feet, more or less, to a point; thence, 46. Bearing S 00° 45′ 35″ E for a distance of 672.25 feet, more or less, to a point; thence,

47. Bearing N 89° 25' 53" E for a distance of 1321.65 feet, more or less, to a point; thence, 48. Bearing S 01° 07' 41" E for a distance of 510.57 feet, more or less, to a point; thence, 49. Bearing S 01° 42' 38" E for a distance of 453.60 feet, more or less, to a point; thence, 50. Bearing S 01° 47' 28" E for a distance of 791.88 feet, more or less, to a point; thence, 51. Bearing N 89° 47' 28" W for a distance of 408.88 feet, more or less, to a point; thence, **52.** Bearing N 00° 00′ 00″ E for a distance of 101.32 feet, more or less, to a point; thence, 53. Bearing N 89° 55′ 43″ W for a distance of 866.91 feet, more or less, to a point; thence, 54. Bearing S 01° 29' 44" E for a distance of 635.66 feet, more or less, to a point; thence, 55. Bearing S 89° 19' 52" W for a distance of 163.94 feet, more or less, to a point; thence, 56. Bearing S 07° 00' 43" E for a distance of 657.77 feet, more or less, to a point; thence, 57. Bearing N 90° 00' 00" E for a distance of 408.00 feet, more or less, to a point; thence, 58. Bearing N 90° 00′ 00″ E for a distance of 319.79 feet, more or less, to a point; thence, 59. Bearing N 26° 27' 43" E for a distance of 411.34 feet, more or less, to a point; thence, 60. Bearing S 86° 59' 25" E for a distance of 37.10 feet, more or less, to a point; thence, 61. Bearing N 01° 47' 27" W for a distance of 68.00 feet, more or less, to a point; thence, 62. Bearing N 32° 21' 32" E for a distance of 56.08 feet, more or less, to a point; thence, 63. Bearing N 42° 26' 20" E for a distance of 272.00 feet, more or less, to a point; thence, 64. Bearing N 88° 12' 32" E for a distance of 198.90 feet, more or less, to a point; thence, 65. Bearing N 88° 12' 22" E for a distance of 88.84 feet, more or less, to a point; thence, 66. Bearing N 04° 47′ 47″ E for a distance of 22.72 feet, more or less, to a point; thence, 67. Bearing S 84° 59' 34" E for a distance of 571.35 feet, more or less, to a point; thence, 68. Bearing S 17° 36' 49" E for a distance of 1147.80 feet, more or less, to a point; thence, 69. Bearing S 18° 02' 52" E for a distance of 229.82 feet, more or less, to a point; thence, 70. Bearing N 73° 27' 19" E for a distance of 294.46 feet, more or less, to a point; thence, 71. Bearing N 80° 57' 23" E for a distance of 290.97 feet, more or less, to a point; thence, **72.** Bearing N 87° 02' 29" E for a distance of 295.37 feet, more or less, to a point; thence, 73. Bearing S 02° 54′ 47″ W for a distance of 130.52 feet, more or less, to a point; thence, 74. Bearing N 83° 00' 26" W for a distance of 22.79 feet, more or less, to a point; thence, **75.** Bearing N 85° 02' 03" W for a distance of 31.54 feet, more or less, to a point; thence, 76. Bearing N 80° 11' 17" W for a distance of 72.09 feet, more or less, to a point; thence, 77. Bearing N 85° 14' 38" W for a distance of 19.26 feet, more or less, to a point; thence,

78. Bearing S 75° 04' 46" W for a distance of 42.42 feet, more or less, to a point; thence, 79. Bearing S 88° 29' 38" W for a distance of 51.93 feet, more or less, to a point; thence, 80. Bearing S 87° 52' 50" W for a distance of 73.82 feet, more or less, to a point; thence, 81. Bearing S 83° 50' 06" W for a distance of 50.84 feet, more or less, to a point; thence, 82. Bearing S 74° 38' 06" W for a distance of 56.67 feet, more or less, to a point; thence, 83. Bearing S 65° 56' 30" W for a distance of 70.32 feet, more or less, to a point; thence, 84. Bearing S 64° 49' 01" W for a distance of 51.33 feet, more or less, to a point; thence, 85. Bearing S 62° 43' 07" W for a distance of 47.65 feet, more or less, to a point; thence, 86. Bearing S 57° 48' 40" W for a distance of 86.34 feet, more or less, to a point; thence, 87. Bearing S 55° 08' 48" W for a distance of 54.94 feet, more or less, to a point; thence, 88. Bearing S 49° 25' 17" W for a distance of 50.37 feet, more or less, to a point; thence, 89. Bearing S 42° 54′ 05″ W for a distance of 52.18 feet, more or less, to a point; thence, 90. Bearing S 41° 22' 15" W for a distance of 45.48 feet, more or less, to a point; thence, 91. Bearing S 31° 50' 53" W for a distance of 46.60 feet, more or less, to a point; thence, 92. Bearing S 15° 39' 15" W for a distance of 35.44 feet, more or less, to a point; thence, 93. Bearing S 07° 51' 31" W for a distance of 39.96 feet, more or less, to a point; thence, 94. Bearing S 02° 36' 23" W for a distance of 30.06 feet, more or less, to a point; thence, 95. Bearing S 04° 14' 29" E for a distance of 36.96 feet, more or less, to a point; thence, 96. Bearing S 04° 34′ 31″ E for a distance of 34.24 feet, more or less, to a point; thence, 97. Bearing S 15° 57′ 34″ E for a distance of 49.69 feet, more or less, to a point; thence, 98. Bearing S 22° 56′ 50″ E for a distance of 38.54 feet, more or less, to a point; thence, 99. Bearing S 26° 34′ 57″ E for a distance of 39.69 feet, more or less, to a point; thence, 100. Bearing S 28° 30' 56" E for a distance of 54.37 feet, more or less, to a point; thence, 101. Bearing S 41° 55′ 45″ E for a distance of 71.56 feet, more or less, to a point; thence, 102. Bearing S 59° 26' 29" E for a distance of 69.81 feet, more or less, to a point; thence, 103. Bearing S 75° 44′ 12″ E for a distance of 57.29 feet, more or less, to a point; thence, 104. Bearing N 85° 36' 17" E for a distance of 35.62 feet, more or less, to a point; thence, 105. Bearing N 81° 15′ 40″ E for a distance of 53.91 feet, more or less, to a point; thence, 106. Bearing N 73° 05' 07" E for a distance of 65.68 feet, more or less, to a point; thence, 107. Bearing N 69° 14′ 34″ E for a distance of 42.37 feet, more or less, to a point; thence, 108. Bearing N 61° 12' 38" E for a distance of 31.18 feet, more or less, to a point; thence, 109. Bearing N 74° 45' 17" E for a distance of 31.15 feet, more or less, to a point; thence, 110. Bearing N 75° 58′ 31″ E for a distance of 39.43 feet, more or less, to a point; thence, 111. Bearing N 61° 12' 29" E for a distance of 31.18 feet, more or less, to a point; thence, 112. Bearing N 55° 11' 48" E for a distance of 38.27 feet, more or less, to a point; thence, 113. Bearing N 14° 02' 58" E for a distance of 16.89 feet, more or less, to a point; thence, 114. Bearing N 31° 37' 39" W for a distance of 20.84 feet, more or less, to a point; thence, 115. Bearing N 14° 02' 52" W for a distance of 22.51 feet, more or less, to a point; thence, 116. Bearing N 42° 32′ 00″ E for a distance of 22.23 feet, more or less, to a point; thence, 117. Bearing N 67° 38' 10" E for a distance of 25.11 feet, more or less, to a point; thence, 118. Bearing N 87° 30' 45" E for a distance of 31.45 feet, more or less, to a point; thence, 119. Bearing N 77° 28' 47" E for a distance of 37.78 feet, more or less, to a point; thence, 120. Bearing N 75° 04' 51" E for a distance of 42.41 feet, more or less, to a point; thence, 121. Bearing N 78° 41′ 52″ E for a distance of 41.79 feet, more or less, to a point; thence,

- 122. Bearing N 90° 00' 00" E for a distance of 46.45 feet, more or less, to a point; thence,
- 123. Bearing S 78° 19' 08" E for a distance of 40.46 feet, more or less, to a point; thence,

124. Bearing S 60° 16′ 33″ E for a distance of 33.04 feet, more or less, to a point; thence, 125. Bearing S 39° 49' 41" E for a distance of 32.00 feet, more or less, to a point; thence, 126. Bearing S 35° 00' 44" E for a distance of 33.33 feet, more or less, to a point; thence, 127. Bearing S 21° 49' 06" E for a distance of 36.76 feet, more or less, to a point; thence, 128. Bearing S 06° 50′ 57″ E for a distance of 34.37 feet, more or less, to a point; thence, 129. Bearing S 30° 58′ 59″ E for a distance of 23.88 feet, more or less, to a point; thence, 130. Bearing S 31° 20′ 57″ E for a distance of 36.76 feet, more or less, to a point; thence, 131. Bearing S 29° 22′ 40″ E for a distance of 50.13 feet, more or less, to a point; thence, 132. Bearing S 29° 39' 29" E for a distance of 91.11 feet, more or less, to a point; thence, 133. Bearing S 24° 38′ 25″ E for a distance of 36.05 feet, more or less, to a point; thence, 134. Bearing S 20° 58' 25" E for a distance of 60.90 feet, more or less, to a point; thence, 135. Bearing S 09° 52′ 26″ E for a distance of 31.87 feet, more or less, to a point; thence, 136. Bearing S 04° 05' 17" W for a distance of 19.16 feet, more or less, to a point; thence, 137. Bearing S 07° 07' 54" W for a distance of 33.02 feet, more or less, to a point; thence, 138. Bearing S 23° 58' 45" W for a distance of 26.89 feet, more or less, to a point; thence, 139. Bearing S 37° 35' 27" W for a distance of 22.40 feet, more or less, to a point; thence, 140. Bearing S 48° 08' 45" W for a distance of 53.19 feet, more or less, to a point; thence, 141. Bearing S 57° 17' 05" W for a distance of 45.46 feet, more or less, to a point; thence, 142. Bearing S 50° 12' 59" W for a distance of 42.67 feet, more or less, to a point; thence, 143. Bearing S 33° 42' 44" W for a distance of 39.38 feet, more or less, to a point; thence, 144. Bearing S 41° 39' 25" W for a distance of 32.89 feet, more or less, to a point; thence, 145. Bearing S 48° 23' 18" W for a distance of 32.89 feet, more or less, to a point; thence, 146. Bearing S 49° 25' 17" W for a distance of 37.77 feet, more or less, to a point; thence, 147. Bearing S 39° 49' 40" W for a distance of 31.99 feet, more or less, to a point; thence, 148. Bearing S 36° 53' 36" W for a distance of 34.14 feet, more or less, to a point; thence, 149. Bearing S 32° 29' 28" W for a distance of 35.61 feet, more or less, to a point; thence, 150. Bearing S 22° 29' 48" W for a distance of 42.85 feet, more or less, to a point; thence, 151. Bearing S 14° 28' 51" W for a distance of 43.71 feet, more or less, to a point; thence, 152. Bearing S 27° 25' 34" W for a distance of 41.52 feet, more or less, to a point; thence, 153. Bearing S 23° 24' 09" W for a distance of 55.03 feet, more or less, to a point; thence, 154. Bearing S 13° 08' 36" W for a distance of 54.58 feet, more or less, to a point; thence, 155. Bearing S 10° 26' 44" W for a distance of 52.75 feet, more or less, to a point; thence, Bearing S 12° 12' 40" W for a distance of 51.68 feet, more or less, to a point; thence, 156. 157. Bearing S 10° 11' 00" W for a distance of 54.09 feet, more or less, to a point; thence, 158. Bearing S 07° 54′ 49″ W for a distance of 49.61 feet, more or less, to a point; thence, 159. Bearing S 02° 00' 39" W for a distance of 77.86 feet, more or less, to a point; thence, 160. Bearing S 05° 49' 49" W for a distance of 67.24 feet, more or less, to a point; thence, 161. Bearing S 01° 14′ 43″ E for a distance of 62.81 feet, more or less, to a point; thence, 162. Bearing S 03° 54′ 15″ E for a distance of 60.20 feet, more or less, to a point; thence, 163. Bearing S 08° 08' 13" E for a distance of 38.61 feet, more or less, to a point; thence, 164. Bearing S 14° 02' 48" E for a distance of 56.28 feet, more or less, to a point; thence, 165. Bearing S 12° 41' 26" E for a distance of 55.97 feet, more or less, to a point; thence, 166. Bearing S 12° 25' 36" E for a distance of 51.58 feet, more or less, to a point; thence, 167. Bearing S 17° 45′ 29" E for a distance of 35.83 feet, more or less, to a point; thence,

168. Bearing S 26° 34′ 59″ E for a distance of 33.58 feet, more or less, to a point; thence, 169. Bearing S 36° 16' 33" E for a distance of 25.40 feet, more or less, to a point; thence, 170. Bearing S 36° 02' 58" E for a distance of 37.14 feet, more or less, to a point; thence, 171. Bearing S 30° 40′ 18" E for a distance of 42.85 feet, more or less, to a point; thence, 172. Bearing S 18° 26' 53" E for a distance of 30.22 feet, more or less, to a point; thence, 173. Bearing S 18° 02' 52" E for a distance of 61.73 feet, more or less, to a point; thence, 174. Bearing S 24° 19' 17" E for a distance of 46.44 feet, more or less, to a point; thence, 175. Bearing S 38° 10' 48" E for a distance of 24.31 feet, more or less, to a point; thence, 176. Bearing S 41° 50′ 37" E for a distance of 34.81 feet, more or less, to a point; thence, 177. Bearing S 45° 01' 21" E for a distance of 28.97 feet, more or less, to a point; thence, 178. Bearing S 36° 53′ 30″ E for a distance of 34.14 feet, more or less, to a point; thence, 179. Bearing S 34° 05′ 57″ E for a distance of 56.05 feet, more or less, to a point; thence, 180. Bearing S 38° 10' 44" E for a distance of 48.62 feet, more or less, to a point; thence, 181. Bearing S 41° 47' 01" E for a distance of 51.26 feet, more or less, to a point; thence, 182. Bearing S 38° 58′ 03″ E for a distance of 59.29 feet, more or less, to a point; thence, 183. Bearing S 16° 42' 47" E for a distance of 28.50 feet, more or less, to a point; thence, 184. Bearing S 33° 42' 37" E for a distance of 34.46 feet, more or less, to a point; thence, 185. Bearing S 36° 02' 55" E for a distance of 37.14 feet, more or less, to a point; thence, 186. Bearing S 32° 01' 34" E for a distance of 51.52 feet, more or less, to a point; thence, 187. Bearing S 24° 09' 45" E for a distance of 43.39 feet, more or less, to a point; thence, 188. Bearing S 32° 14′ 59″ E for a distance of 74.25 feet, more or less, to a point; thence, 189. Bearing S 26° 35′ 06" E for a distance of 42.74 feet, more or less, to a point; thence, 190. Bearing S 32° 01' 27" E for a distance of 25.76 feet, more or less, to a point; thence, 191. Bearing S 26° 35′ 00" E for a distance of 39.69 feet, more or less, to a point; thence, 192. Bearing S 31° 50′ 49" E for a distance of 46.60 feet, more or less, to a point; thence, 193. Bearing S 34° 43′ 02" E for a distance of 43.18 feet, more or less, to a point; thence, 194. Bearing S 43° 10′ 30″ E for a distance of 29.95 feet, more or less, to a point; thence, 195. Bearing S 43° 10′ 33″ E for a distance of 29.95 feet, more or less, to a point; thence, 196. Bearing S 43° 33' 21" E for a distance of 37.67 feet, more or less, to a point; thence, 197. Bearing S 38° 10′ 40″ E for a distance of 48.62 feet, more or less, to a point; thence, 198. Bearing S 35° 00' 49" E for a distance of 33.33 feet, more or less, to a point; thence, 199. Bearing S 24° 19' 20" E for a distance of 46.44 feet, more or less, to a point; thence, 200. Bearing S 34° 02' 56" E for a distance of 93.66 feet, more or less, to a point; thence, 201. Bearing S 31° 14′ 19" E for a distance of 52.69 feet, more or less, to a point; thence, 202. Bearing S 33° 17' 44" E for a distance of 52.26 feet, more or less, to a point; thence, 203. Bearing S 34° 53′ 50″ E for a distance of 54.92 feet, more or less, to a point; thence, 204. Bearing S 27° 14′ 06" E for a distance of 53.73 feet, more or less, to a point; thence, 205. Bearing S 39° 34′ 54″ E for a distance of 40.74 feet, more or less, to a point; thence, 206. Bearing S 31° 20′ 57″ E for a distance of 36.76 feet, more or less, to a point; thence, 207. Bearing S 36° 53′ 30″ E for a distance of 40.96 feet, more or less, to a point; thence, 208. Bearing S 26° 34′ 55" E for a distance of 27.48 feet, more or less, to a point; thence, 209. Bearing S 30° 05′ 20″ E for a distance of 59.95 feet, more or less, to a point; thence, 210. Bearing S 37° 15' 26" E for a distance of 42.88 feet, more or less, to a point; thence, 211. Bearing S 27° 19' 07" E for a distance of 47.63 feet, more or less, to a point; thence, 212. Bearing S 22° 23′ 48″ E for a distance of 25.10 feet, more or less, to a point; thence, 213. Bearing S 14° 02' 48" E for a distance of 33.77 feet, more or less, to a point; thence, 214. Bearing S 12° 16′ 30″ E for a distance of 32.13 feet, more or less, to a point; thence, 215. Bearing S 23° 12' 44" E for a distance of 20.79 feet, more or less, to a point; thence, 216. Bearing S 42° 43′ 58" E for a distance of 24.16 feet, more or less, to a point; thence, 217. Bearing S 37° 35′ 35″ E for a distance of 22.40 feet, more or less, to a point; thence, 218. Bearing S 34° 18' 26" E for a distance of 36.36 feet, more or less, to a point; thence, 219. Bearing S 28° 16' 39" E for a distance of 32.38 feet, more or less, to a point; thence, 220. Bearing S 22° 56′ 58″ E for a distance of 38.54 feet, more or less, to a point; thence, 221. Bearing S 04° 58′ 23″ E for a distance of 31.52 feet, more or less, to a point; thence, 222. Bearing S 10° 07' 59" E for a distance of 38.83 feet, more or less, to a point; thence, 223. Bearing S 12° 06′ 11″ E for a distance of 19.55 feet, more or less, to a point; thence, 224. Bearing S 25° 21' 54" E for a distance of 28.70 feet, more or less, to a point; thence, 225. Bearing S 30° 58′ 59″ E for a distance of 23.88 feet, more or less, to a point; thence, 226. Bearing S 30° 29′ 11″ E for a distance of 26.93 feet, more or less, to a point; thence, 227. Bearing S 42° 17' 45" E for a distance of 40.60 feet, more or less, to a point; thence, 228. Bearing S 32° 22' 08" E for a distance of 48.48 feet, more or less, to a point; thence, 229. Bearing S 20° 47′ 11″ E for a distance of 42.34 feet, more or less, to a point; thence, 230. Bearing S 25° 43′ 40″ E for a distance of 40.91 feet, more or less, to a point; thence, 231. Bearing S 24° 07' 11" E for a distance of 56.83 feet, more or less, to a point; thence, 232. Bearing S 05° 11′ 53″ E for a distance of 30.16 feet, more or less, to a point; thence, 233. Bearing S 00° 00′ 00″ E for a distance of 21.84 feet, more or less, to a point; thence, 234. Bearing S 30° 16' 33" W for a distance of 18.97 feet, more or less, to a point; thence, 235. Bearing S 36° 16' 34" W for a distance of 25.40 feet, more or less, to a point; thence, 236. Bearing S 20° 54' 37" W for a distance of 28.78 feet, more or less, to a point; thence, 237. Bearing S 15° 32' 20" W for a distance of 25.50 feet, more or less, to a point; thence, 238. Bearing S 29° 04' 23" W for a distance of 28.11 feet, more or less, to a point; thence, 239. Bearing S 52° 27' 16" W for a distance of 22.40 feet, more or less, to a point; thence, 240. Bearing S 51° 51′ 53" W for a distance of 24.31 feet, more or less, to a point; thence, 241. Bearing S 55° 01' 49" W for a distance of 33.34 feet, more or less, to a point; thence, 242. Bearing S 68° 12' 45" W for a distance of 29.42 feet, more or less, to a point; thence, 243. Bearing N 87° 23' 58" W for a distance of 30.09 feet, more or less, to a point; thence, Bearing N 80° 08' 34" W for a distance of 31.89 feet, more or less, to a point; thence, 244. 245. Bearing N 81° 52' 29" W for a distance of 28.98 feet, more or less, to a point; thence, 246. Bearing N 69° 09' 40" W for a distance of 30.70 feet, more or less, to a point; thence, 247. Bearing N 70° 55′ 08" W for a distance of 37.58 feet, more or less, to a point; thence, 248. Bearing N 80° 55' 08" W for a distance of 34.59 feet, more or less, to a point; thence, 249. Bearing N 83° 25' 25" W for a distance of 35.76 feet, more or less, to a point; thence, 250. Bearing N 70° 55′ 13″ W for a distance of 37.59 feet, more or less, to a point; thence, 251. Bearing S 87° 30' 45" W for a distance of 31.45 feet, more or less, to a point; thence, 252. Bearing S 78° 41' 58" W for a distance of 34.83 feet, more or less, to a point; thence, 253. Bearing S 67° 10' 54" W for a distance of 28.16 feet, more or less, to a point; thence, 254. Bearing S 54° 10' 56" W for a distance of 30.32 feet, more or less, to a point; thence, 255. Bearing S 75° 58' 31" W for a distance of 33.80 feet, more or less, to a point; thence,

256. Bearing S 59° 33' 15" W for a distance of 26.94 feet, more or less, to a point; thence, 257. Bearing S 51° 43' 56" W for a distance of 33.06 feet, more or less, to a point; thence, 258. Bearing S 45° 01' 20" W for a distance of 34.76 feet, more or less, to a point; thence, 259. Bearing S 45° 54′ 18" W for a distance of 62.77 feet, more or less, to a point; thence, 260. Bearing S 37° 15' 27" W for a distance of 42.88 feet, more or less, to a point; thence, 261. Bearing S 36° 33′ 02" W for a distance of 45.88 feet, more or less, to a point; thence, 262. Bearing S 23° 12' 52" W for a distance of 41.59 feet, more or less, to a point; thence, 263. Bearing S 14° 02' 49" W for a distance of 33.77 feet, more or less, to a point; thence, 264. Bearing S 16° 16' 21" W for a distance of 34.13 feet, more or less, to a point; thence, 265. Bearing S 27° 55' 03" W for a distance of 26.26 feet, more or less, to a point; thence, 266. Bearing S 32° 38' 21" W for a distance of 40.53 feet, more or less, to a point; thence, 267. Bearing S 40° 37' 28" W for a distance of 37.77 feet, more or less, to a point; thence, 268. Bearing S 39° 18' 45" W for a distance of 38.81 feet, more or less, to a point; thence, 269. Bearing S 18° 43' 28" W for a distance of 64.52 feet, more or less, to a point; thence, 270. Bearing S 19° 18' 19" W for a distance of 28.93 feet, more or less, to a point; thence, 271. Bearing S 31° 20' 59" W for a distance of 36.76 feet, more or less, to a point; thence, 272. Bearing S 33° 07' 57" W for a distance of 37.49 feet, more or less, to a point; thence, 273. Bearing S 27° 29' 35" W for a distance of 38.47 feet, more or less, to a point; thence, 274. Bearing S 29° 33′ 34″ W for a distance of 47.08 feet, more or less, to a point; thence, 275. Bearing S 20° 14' 20" W for a distance of 27.64 feet, more or less, to a point; thence, 276. Bearing S 16° 56' 31" W for a distance of 32.82 feet, more or less, to a point; thence, 277. Bearing S 17° 27' 34" W for a distance of 50.08 feet, more or less, to a point; thence, 278. Bearing S 25° 28' 48" W for a distance of 31.76 feet, more or less, to a point; thence, 279. Bearing S 30° 59' 02" W for a distance of 39.81 feet, more or less, to a point; thence, 280. Bearing S 24° 52' 54" W for a distance of 61.69 feet, more or less, to a point; thence, 281. Bearing S 27° 16' 27" W for a distance of 50.68 feet, more or less, to a point; thence, 282. Bearing S 21° 37' 49" W for a distance of 77.83 feet, more or less, to a point; thence, 283. Bearing S 16° 50′ 10″ W for a distance of 62.44 feet, more or less, to a point; thence, 284. Bearing S 11° 53' 52" W for a distance of 53.01 feet, more or less, to a point; thence, 285. Bearing S 14° 16' 05" W for a distance of 171.84 feet, more or less, to a point; thence, 286. Bearing S 14° 02' 53" W for a distance of 33.77 feet, more or less, to a point; thence, 287. Bearing S 02° 17' 30" W for a distance of 34.16 feet, more or less, to a point; thence, 288. Bearing S 00° 00' 00" W for a distance of 38.22 feet, more or less, to a point; thence, 289. Bearing S 02° 23' 15" E for a distance of 32.79 feet, more or less, to a point; thence, 290. Bearing S 08° 32' 11" W for a distance of 27.61 feet, more or less, to a point; thence, 291. Bearing S 14° 02' 51" W for a distance of 33.77 feet, more or less, to a point; thence, 292. Bearing S 17° 00' 13" W for a distance of 51.39 feet, more or less, to a point; thence, 293. Bearing S 20° 52' 10" W for a distance of 30.68 feet, more or less, to a point; thence, 294. Bearing S 04° 24' 08" W for a distance of 17.80 feet, more or less, to a point; thence, 295. Bearing S 03° 41' 40" E for a distance of 42.40 feet, more or less, to a point; thence, 296. Bearing S 06° 10′ 31" E for a distance of 50.80 feet, more or less, to a point; thence, 297. Bearing S 07° 43′ 15″ E for a distance of 34.25 feet, more or less, to a point; thence, 298. Bearing S 06° 55′ 02" E for a distance of 45.38 feet, more or less, to a point; thence, 299. Bearing S 18° 26' 57" E for a distance of 25.90 feet, more or less, to a point; thence,

300. Bearing S 20° 09′ 00″ E for a distance of 43.62 feet, more or less, to a point; thence, 301. Bearing S 26° 35′ 02" E for a distance of 36.63 feet, more or less, to a point; thence, 302. Bearing S 24° 27' 43" E for a distance of 49.49 feet, more or less, to a point; thence, 303. Bearing S 29° 16' 06" E for a distance of 39.12 feet, more or less, to a point; thence, 304. Bearing S 35° 19' 54" E for a distance of 40.16 feet, more or less, to a point; thence, 305. Bearing S 55° 54′ 26" E for a distance of 51.14 feet, more or less, to a point; thence, 306. Bearing S 67° 15′ 55″ E for a distance of 45.92 feet, more or less, to a point; thence, 307. Bearing S 71° 34′ 46″ E for a distance of 25.92 feet, more or less, to a point; thence, 308. Bearing S 80° 08' 26" E for a distance of 31.89 feet, more or less, to a point; thence, 309. Bearing S 87° 16' 35" E for a distance of 28.72 feet, more or less, to a point; thence, 310. Bearing S 70° 21' 41" E for a distance of 20.31 feet, more or less, to a point; thence, 311. Bearing S 67° 46′ 03" E for a distance of 32.47 feet, more or less, to a point; thence, 312. Bearing S 69° 27' 31" E for a distance of 35.01 feet, more or less, to a point; thence, 313. Bearing S 74° 04' 02" E for a distance of 29.84 feet, more or less, to a point; thence, 314. Bearing S 73° 27' 19" E for a distance of 52.73 feet, more or less, to a point; thence, 315. Bearing S 84° 24' 20" E for a distance of 70.01 feet, more or less, to a point; thence, 316. Bearing N 86° 38' 11" E for a distance of 46.53 feet, more or less, to a point; thence, 317. Bearing N 71° 09' 37" E for a distance of 59.18 feet, more or less, to a point; thence, 318. Bearing N 66° 49' 07" E for a distance of 41.61 feet, more or less, to a point; thence, 319. Bearing N 60° 39' 44" E for a distance of 50.15 feet, more or less, to a point; thence, 320. Bearing N 62° 40′ 13″ E for a distance of 44.60 feet, more or less, to a point; thence, 321. Bearing N 52° 47' 11" E for a distance of 42.89 feet, more or less, to a point; thence, 322. Bearing N 40° 26' 53" E for a distance of 48.43 feet, more or less, to a point; thence, 323. Bearing N 27° 16' 28" E for a distance of 50.68 feet, more or less, to a point; thence, 324. Bearing N 43° 45′ 10″ E for a distance of 27.16 feet, more or less, to a point; thence, 325. Bearing N 42° 32' 01" E for a distance of 22.23 feet, more or less, to a point; thence, 326. Bearing N 31° 27' 01" E for a distance of 28.80 feet, more or less, to a point; thence, 327. Bearing N 03° 00' 55" E for a distance of 25.97 feet, more or less, to a point; thence, 328. Bearing N 23° 12' 55" E for a distance of 20.79 feet, more or less, to a point; thence, 329. Bearing N 15° 32' 03" E for a distance of 25.50 feet, more or less, to a point; thence, 330. Bearing N 30° 05' 22" E for a distance of 29.98 feet, more or less, to a point; thence, 331. Bearing N 29° 45' 49" E for a distance of 22.02 feet, more or less, to a point; thence, 332. Bearing N 25° 34′ 43″ E for a distance of 34.81 feet, more or less, to a point; thence, 333. Bearing N 45° 01' 25" E for a distance of 30.90 feet, more or less, to a point; thence, 334. Bearing N 55° 38' 28" E for a distance of 31.44 feet, more or less, to a point; thence, 335. Bearing N 59° 45′ 43″ E for a distance of 37.95 feet, more or less, to a point; thence, 336. Bearing N 82° 34' 31" E for a distance of 31.69 feet, more or less, to a point; thence, 337. Bearing N 82° 52′ 51″ E for a distance of 44.06 feet, more or less, to a point; thence, 338. Bearing N 83° 25' 24" E for a distance of 35.76 feet, more or less, to a point; thence, 339. Bearing N 75° 15' 58" E for a distance of 26.84 feet, more or less, to a point; thence, 340. Bearing N 74° 18' 15" E for a distance of 45.41 feet, more or less, to a point; thence, 341. Bearing N 80° 32′ 38″ E for a distance of 41.55 feet, more or less, to a point; thence, 342. Bearing N 87° 52' 45" E for a distance of 36.91 feet, more or less, to a point; thence, 343. Bearing S 86° 03' 24" E for a distance of 39.71 feet, more or less, to a point; thence,

344. Bearing N 83° 29' 08" E for a distance of 48.13 feet, more or less, to a point; thence, 345. Bearing N 87° 23' 56" E for a distance of 60.17 feet, more or less, to a point; thence, 346. Bearing S 88° 36' 11" E for a distance of 56.03 feet, more or less, to a point; thence, 347. Bearing N 86° 11' 21" E for a distance of 41.08 feet, more or less, to a point; thence, 348. Bearing S 84° 48' 36" E for a distance of 30.18 feet, more or less, to a point; thence, 349. Bearing S 74° 45' 27" E for a distance of 31.15 feet, more or less, to a point; thence, 350. Bearing S 68° 12' 48" E for a distance of 29.42 feet, more or less, to a point; thence, 351. Bearing S 59° 03' 23" E for a distance of 39.82 feet, more or less, to a point; thence, 352. Bearing S 46° 25' 15" E for a distance of 39.60 feet, more or less, to a point; thence, 353. Bearing S 33° 11′ 49″ E for a distance of 42.42 feet, more or less, to a point; thence, 354. Bearing S 21° 03′ 16" E for a distance of 38.03 feet, more or less, to a point; thence, 355. Bearing S 13° 34′ 56″ E for a distance of 40.73 feet, more or less, to a point; thence, 356. Bearing S 10° 18' 43" E for a distance of 45.79 feet, more or less, to a point; thence, 357. Bearing S 06° 29' 18" E for a distance of 60.45 feet, more or less, to a point; thence, 358. Bearing S 09° 00′ 28″ E for a distance of 78.36 feet, more or less, to a point; thence, 359. Bearing S 05° 42′ 59" E for a distance of 27.44 feet, more or less, to a point; thence, 360. Bearing S 11° 19' 12" W for a distance of 27.84 feet, more or less, to a point; thence, 361. Bearing S 06° 50' 49" W for a distance of 34.37 feet, more or less, to a point; thence, 362. Bearing S 04° 46' 08" W for a distance of 32.87 feet, more or less, to a point; thence, 363. Bearing S 02° 12' 14" E for a distance of 35.52 feet, more or less, to a point; thence, 364. Bearing S 09° 10′ 06″ W for a distance of 42.86 feet, more or less, to a point; thence, 365. Bearing S 21° 15' 58" W for a distance of 26.37 feet, more or less, to a point; thence, 366. Bearing S 33° 02' 44" W for a distance of 32.57 feet, more or less, to a point; thence, 367. Bearing S 52° 36' 55" W for a distance of 29.23 feet, more or less, to a point; thence, 368. Bearing S 64° 27' 33" W for a distance of 34.83 feet, more or less, to a point; thence, 369. Bearing S 61° 34' 32" W for a distance of 37.28 feet, more or less, to a point; thence, 370. Bearing S 51° 58' 33" W for a distance of 39.89 feet, more or less, to a point; thence, 371. Bearing S 42° 31' 57" W for a distance of 44.46 feet, more or less, to a point; thence, 372. Bearing S 56° 50' 33" W for a distance of 42.43 feet, more or less, to a point; thence, 373. Bearing S 53° 59' 42" W for a distance of 37.15 feet, more or less, to a point; thence, 374. Bearing S 72° 54′ 39″ W for a distance of 37.16 feet, more or less, to a point; thence, 375. Bearing S 67° 32' 11" W for a distance of 42.87 feet, more or less, to a point; thence, Bearing S 63° 57′ 53″ W for a distance of 68.42 feet, more or less, to a point; thence, 376. 377. Bearing S 63° 27' 16" W for a distance of 76.36 feet, more or less, to a point; thence, 378. Bearing S 51° 55' 57" W for a distance of 64.21 feet, more or less, to a point; thence, 379. Bearing S 68° 01' 02" W for a distance of 46.55 feet, more or less, to a point; thence, 380. Bearing S 62° 02' 21" W for a distance of 49.49 feet, more or less, to a point; thence, 381. Bearing S 69° 14' 34" W for a distance of 42.37 feet, more or less, to a point; thence, 382. Bearing S 62° 07' 20" W for a distance of 52.55 feet, more or less, to a point; thence, 383. Bearing S 67° 29' 44" W for a distance of 60.63 feet, more or less, to a point; thence, 384. Bearing S 66° 59' 28" W for a distance of 59.37 feet, more or less, to a point; thence, 385. Bearing S 66° 37' 53" W for a distance of 55.06 feet, more or less, to a point; thence, 386. Bearing S 57° 52' 08" W for a distance of 56.46 feet, more or less, to a point; thence, 387. Bearing S 53° 09' 03" W for a distance of 61.46 feet, more or less, to a point; thence,

388. Bearing S 51° 34' 09" W for a distance of 59.29 feet, more or less, to a point; thence, 389. Bearing S 46° 55' 58" W for a distance of 57.97 feet, more or less, to a point; thence, 390. Bearing S 48° 50' 12" W for a distance of 58.07 feet, more or less, to a point; thence, 391. Bearing S 42° 43' 56" W for a distance of 48.32 feet, more or less, to a point; thence, 392. Bearing S 31° 26' 59" W for a distance of 57.60 feet, more or less, to a point; thence, 393. Bearing S 21° 49' 04" W for a distance of 66.17 feet, more or less, to a point; thence, 394. Bearing S 27° 50′ 35″ W for a distance of 55.58 feet, more or less, to a point; thence, 395. Bearing S 23° 43' 07" W for a distance of 61.13 feet, more or less, to a point; thence, 396. Bearing S 28° 19' 14" W for a distance of 60.48 feet, more or less, to a point; thence, 397. Bearing S 14° 59' 09" W for a distance of 53.56 feet, more or less, to a point; thence, 398. Bearing S 04° 46' 06" W for a distance of 49.31 feet, more or less, to a point; thence, 399. Bearing S 05° 11' 52" W for a distance of 45.23 feet, more or less, to a point; thence, 400. Bearing S 16° 16' 15" W for a distance of 34.13 feet, more or less, to a point; thence, 401. Bearing S 17° 50' 05" W for a distance of 40.15 feet, more or less, to a point; thence, 402. Bearing S 14° 02' 50" W for a distance of 33.77 feet, more or less, to a point; thence, 403. Bearing S 06° 43′ 01" E for a distance of 23.37 feet, more or less, to a point; thence, 404. Bearing S 05° 42' 52" E for a distance of 41.16 feet, more or less, to a point; thence, 405. Bearing S 01° 54′ 38″ E for a distance of 40.97 feet, more or less, to a point; thence, 406. Bearing S 05° 42′ 52″ E for a distance of 41.16 feet, more or less, to a point; thence, 407. Bearing S 11° 19′ 17″ E for a distance of 41.76 feet, more or less, to a point; thence, 408. Bearing S 14° 02' 45" E for a distance of 45.03 feet, more or less, to a point; thence, 409. Bearing S 17° 00′ 13" E for a distance of 51.39 feet, more or less, to a point; thence, 410. Bearing S 21° 23' 09" E for a distance of 67.44 feet, more or less, to a point; thence, 411. Bearing S 28° 56′ 32″ E for a distance of 69.75 feet, more or less, to a point; thence, 412. Bearing S 46° 56′ 06″ E for a distance of 42.90 feet, more or less, to a point; thence, 413. Bearing S 50° 32′ 59" E for a distance of 39.18 feet, more or less, to a point; thence, 414. Bearing S 52° 40′ 22" E for a distance of 42.53 feet, more or less, to a point; thence, 415. Bearing S 62° 52′ 09" E for a distance of 39.00 feet, more or less, to a point; thence, 416. Bearing S 69° 05′ 18″ E for a distance of 32.39 feet, more or less, to a point; thence, 417. Bearing S 82° 52′ 56″ E for a distance of 35.87 feet, more or less, to a point; thence, 418. Bearing N 87° 08' 23" E for a distance of 53.46 feet, more or less, to a point; thence, 419. Bearing N 71° 34′ 44″ E for a distance of 42.21 feet, more or less, to a point; thence, 420. Bearing N 72° 48′ 51″ E for a distance of 39.12 feet, more or less, to a point; thence, 421. Bearing N 72° 00' 39" E for a distance of 37.43 feet, more or less, to a point; thence, 422. Bearing N 60° 16' 23" E for a distance of 28.69 feet, more or less, to a point; thence, 423. Bearing N 71° 51′ 38" E for a distance of 57.12 feet, more or less, to a point; thence, 424. Bearing N 56° 57' 05" E for a distance of 45.65 feet, more or less, to a point; thence, 425. Bearing N 60° 16' 30" E for a distance of 43.04 feet, more or less, to a point; thence, 426. Bearing N 59° 24′ 05" E for a distance of 50.66 feet, more or less, to a point; thence, 427. Bearing N 55° 23' 49" E for a distance of 45.41 feet, more or less, to a point; thence, 428. Bearing N 52° 07' 47" E for a distance of 61.96 feet, more or less, to a point; thence, 429. Bearing N 43° 35′ 20″ E for a distance of 50.34 feet, more or less, to a point; thence, 430. Bearing N 43° 17' 16" E for a distance of 41.53 feet, more or less, to a point; thence, 431. Bearing N 34° 02' 28" E for a distance of 42.92 feet, more or less, to a point; thence,

432. Bearing N 25° 45′ 28″ E for a distance of 55.29 feet, more or less, to a point; thence, 433. Bearing N 37° 02' 01" E for a distance of 72.40 feet, more or less, to a point; thence, 434. Bearing N 36° 16' 32" E for a distance of 49.63 feet, more or less, to a point; thence, 435. Bearing N 29° 33' 29" E for a distance of 61.34 feet, more or less, to a point; thence, 436. Bearing N 43° 28' 32" E for a distance of 23.28 feet, more or less, to a point; thence, 437. Bearing N 42° 58′ 40″ E for a distance of 35.25 feet, more or less, to a point; thence, 438. Bearing N 61° 43′ 06" E for a distance of 26.27 feet, more or less, to a point; thence, 439. Bearing N 76° 49' 10" E for a distance of 58.49 feet, more or less, to a point; thence, 440. Bearing S 89° 25' 37" E for a distance of 89.00 feet, more or less, to a point; thence, 441. Bearing S 68° 24' 05" E for a distance of 50.73 feet, more or less, to a point; thence, 442. Bearing S 65° 14' 34" E for a distance of 76.44 feet, more or less, to a point; thence, 443. Bearing S 54° 22′ 55″ E for a distance of 58.02 feet, more or less, to a point; thence, 444. Bearing S 46° 36' 51" E for a distance of 45.31 feet, more or less, to a point; thence, 445. Bearing S 57° 21' 30" E for a distance of 41.22 feet, more or less, to a point; thence, 446. Bearing S 55° 51′ 42″ E for a distance of 30.11 feet, more or less, to a point; thence, 447. Bearing S 27° 32′ 39" E for a distance of 71.20 feet, more or less, to a point; thence, 448. Bearing S 19° 30' 01" E for a distance of 61.32 feet, more or less, to a point; thence, 449. Bearing S 17° 06′ 58″ E for a distance of 48.38 feet, more or less, to a point; thence, **450.** Bearing S 16° 58′ 50″ E for a distance of 54.85 feet, more or less, to a point; thence, 451. Bearing S 11° 39′ 49″ E for a distance of 54.41 feet, more or less, to a point; thence, 452. Bearing S 03° 14′ 33″ E for a distance of 47.20 feet, more or less, to a point; thence, 453. Bearing S 16° 50′ 03″ E for a distance of 39.95 feet, more or less, to a point; thence, 454. Bearing S 11° 32' 36" E for a distance of 44.47 feet, more or less, to a point; thence, 455. Bearing S 13° 15' 04" E for a distance of 62.12 feet, more or less, to a point; thence, **456.** Bearing S 12° 14' 09" E for a distance of 54.59 feet, more or less, to a point; thence, 457. Bearing S 08° 28' 33" E for a distance of 42.25 feet, more or less, to a point; thence, **458.** Bearing S 02° 51' 54" W for a distance of 53.42 feet, more or less, to a point; thence, 459. Bearing S 07° 43′ 43″ E for a distance of 52.94 feet, more or less, to a point; thence, 460. Bearing S 14° 05' 03" E for a distance of 33.61 feet, more or less, to a point; thence, 461. Bearing S 14° 21' 37" E for a distance of 39.47 feet, more or less, to a point; thence, 462. Bearing S 01° 06′ 10″ E for a distance of 46.25 feet, more or less, to a point; thence, 463. Bearing S 01° 56' 36" W for a distance of 52.49 feet, more or less, to a point; thence, 464. Bearing S 05° 04′ 58″ E for a distance of 40.17 feet, more or less, to a point; thence, 465. Bearing S 16° 48' 41" E for a distance of 49.23 feet, more or less, to a point; thence, 466. Bearing S 35° 41′ 52″ E for a distance of 42.70 feet, more or less, to a point; thence, 467. Bearing S 13° 44′ 49″ E for a distance of 41.19 feet, more or less, to a point; thence, 468. Bearing S 13° 24' 22" E for a distance of 57.53 feet, more or less, to a point; thence, 469. Bearing S 05° 57′ 05″ E for a distance of 85.83 feet, more or less, to a point; thence, 470. Bearing S 01° 19' 58" W for a distance of 76.49 feet, more or less, to a point; thence, 471. Bearing S 06° 35' 16" W for a distance of 69.82 feet, more or less, to a point; thence, 472. Bearing S 09° 05' 49" W for a distance of 45.03 feet, more or less, to a point; thence, 473. Bearing S 18° 26' 55" W for a distance of 42.18 feet, more or less, to a point; thence, 474. Bearing S 29° 04' 30" W for a distance of 27.47 feet, more or less, to a point; thence, 475. Bearing S 17° 00' 13" W for a distance of 33.47 feet, more or less, to a point; thence, 476. Bearing S 22° 29' 37" W for a distance of 27.91 feet, more or less, to a point; thence, 477. Bearing S 25° 52' 57" W for a distance of 35.55 feet, more or less, to a point; thence, 478. Bearing S 43° 30' 56" W for a distance of 47.82 feet, more or less, to a point; thence, 479. Bearing S 45° 01' 24" W for a distance of 41.52 feet, more or less, to a point; thence, 480. Bearing S 31° 43′ 15″ W for a distance of 35.54 feet, more or less, to a point; thence, 481. Bearing S 14° 02' 49" W for a distance of 40.33 feet, more or less, to a point; thence, 482. Bearing S 18° 56' 22" W for a distance of 32.90 feet, more or less, to a point; thence, 483. Bearing S 28° 24' 46" W for a distance of 37.41 feet, more or less, to a point; thence, 484. Bearing S 35° 40' 40" W for a distance of 50.35 feet, more or less, to a point; thence, 485. Bearing S 50° 22' 42" W for a distance of 40.44 feet, more or less, to a point; thence, 486. Bearing S 62° 27' 53" W for a distance of 46.17 feet, more or less, to a point; thence, 487. Bearing S 62° 43' 06" W for a distance of 31.04 feet, more or less, to a point; thence, 488. Bearing S 69° 47' 24" W for a distance of 36.04 feet, more or less, to a point; thence, 489. Bearing S 77° 49' 51" W for a distance of 38.23 feet, more or less, to a point; thence, 490. Bearing S 68° 53' 28" W for a distance of 41.97 feet, more or less, to a point; thence, 491. Bearing S 69° 14' 34" W for a distance of 55.20 feet, more or less, to a point; thence, 492. Bearing S 74° 29' 16" W for a distance of 66.50 feet, more or less, to a point; thence, 493. Bearing S 84° 13' 49" W for a distance of 79.61 feet, more or less, to a point; thence, 494. Bearing S 88° 25' 53" W for a distance of 64.99 feet, more or less, to a point; thence, 495. Bearing N 83° 57' 00" W for a distance of 59.06 feet, more or less, to a point; thence, 496. Bearing N 79° 16' 11" W for a distance of 52.53 feet, more or less, to a point; thence, 497. Bearing N 74° 19' 54" W for a distance of 52.68 feet, more or less, to a point; thence, 498. Bearing N 59° 26' 07" W for a distance of 38.87 feet, more or less, to a point; thence, 499. Bearing N 54° 04' 45" W for a distance of 43.96 feet, more or less, to a point; thence, 500. Bearing N 23° 58' 46" W for a distance of 52.55 feet, more or less, to a point; thence, 501. Bearing N 03° 54' 09" W for a distance of 39.22 feet, more or less, to a point; thence, 502. Bearing N 04° 05' 27" W for a distance of 37.44 feet, more or less, to a point; thence, 503. Bearing N 11° 36′ 02″ E for a distance of 35.40 feet, more or less, to a point; thence, 504. Bearing N 10° 05' 22" E for a distance of 40.64 feet, more or less, to a point; thence, 505. Bearing N 26° 35′ 01″ E for a distance of 31.82 feet, more or less, to a point; thence, 506. Bearing N 25° 45′ 28" E for a distance of 55.29 feet, more or less, to a point; thence, 507. Bearing N 33° 17' 51" E for a distance of 34.04 feet, more or less, to a point; thence, Bearing N 40° 29' 03" E for a distance of 39.75 feet, more or less, to a point; thence, 508. 509. Bearing N 30° 59' 07" E for a distance of 36.30 feet, more or less, to a point; thence, 510. Bearing N 41° 12' 29" E for a distance of 28.37 feet, more or less, to a point; thence, 511. Bearing N 31° 17′ 04″ E for a distance of 29.13 feet, more or less, to a point; thence, 512. Bearing N 25° 48' 43" E for a distance of 20.65 feet, more or less, to a point; thence, 513. Bearing N 14° 17′ 32″ E for a distance of 50.47 feet, more or less, to a point; thence, 514. Bearing N 05° 42′ 51″ E for a distance of 35.75 feet, more or less, to a point; thence, 515. Bearing N 00° 00' 00" E for a distance of 41.79 feet, more or less, to a point; thence, 516. Bearing N 07° 07' 48" W for a distance of 43.01 feet, more or less, to a point; thence, 517. Bearing N 08° 49' 41" W for a distance of 52.19 feet, more or less, to a point; thence, 518. Bearing N 06° 12' 27" W for a distance of 41.14 feet, more or less, to a point; thence, 519. Bearing N 11° 04′ 42″ W for a distance of 41.68 feet, more or less, to a point; thence,

520. Bearing N 19° 33′ 11″ W for a distance of 29.25 feet, more or less, to a point; thence, 521. Bearing N 20° 20' 14" W for a distance of 25.61 feet, more or less, to a point; thence, **522.** Bearing N 40° 50′ 16″ W for a distance of 25.86 feet, more or less, to a point; thence, 523. Bearing N 53° 23' 17" W for a distance of 43.24 feet, more or less, to a point; thence, 524. Bearing N 42° 09' 43" W for a distance of 25.19 feet, more or less, to a point; thence, 525. Bearing N 41° 38′ 34″ W for a distance of 81.82 feet, more or less, to a point; thence, 526. Bearing N 36° 22' 10" W for a distance of 58.53 feet, more or less, to a point; thence, 527. Bearing N 51° 56' 01" W for a distance of 41.82 feet, more or less, to a point; thence, 528. Bearing N 55° 51' 42" W for a distance of 60.21 feet, more or less, to a point; thence, 529. Bearing N 66° 49' 12" W for a distance of 40.66 feet, more or less, to a point; thence, 530. Bearing N 72° 13' 40" W for a distance of 49.53 feet, more or less, to a point; thence, 531. Bearing N 84° 17' 38" W for a distance of 44.72 feet, more or less, to a point; thence, 532. Bearing S 87° 33' 57" W for a distance of 41.86 feet, more or less, to a point; thence, 533. Bearing S 64° 33' 15" W for a distance of 20.70 feet, more or less, to a point; thence, 534. Bearing S 47° 30' 47" W for a distance of 28.96 feet, more or less, to a point; thence, 535. Bearing S 11° 38' 31" W for a distance of 30.87 feet, more or less, to a point; thence, 536. Bearing S 14° 55' 20" W for a distance of 40.35 feet, more or less, to a point; thence, 537. Bearing S 21° 35' 19" W for a distance of 16.80 feet, more or less, to a point; thence, 538. Bearing S 47° 11' 01" W for a distance of 27.26 feet, more or less, to a point; thence, 539. Bearing S 48° 26' 52" W for a distance of 29.75 feet, more or less, to a point; thence, 540. Bearing S 49° 53′ 23″ W for a distance of 18.43 feet, more or less, to a point; thence, 541. Bearing S 25° 39' 35" W for a distance of 20.15 feet, more or less, to a point; thence, 542. Bearing S 00° 00' 01" W for a distance of 22.52 feet, more or less, to a point; thence, 543. Bearing S 24° 04' 26" E for a distance of 22.28 feet, more or less, to a point; thence, 544. Bearing S 48° 23' 41" E for a distance of 8.75 feet, more or less, to a point; thence, 545. Bearing S 45° 23' 26" E for a distance of 34.85 feet, more or less, to a point; thence, 546. Bearing S 61° 31′ 22″ E for a distance of 29.89 feet, more or less, to a point; thence, 547. Bearing S 44° 05' 02" E for a distance of 32.37 feet, more or less, to a point; thence, 548. Bearing S 21° 31′ 06" E for a distance of 26.61 feet, more or less, to a point; thence, 549. Bearing S 04° 31′ 02″ E for a distance of 28.59 feet, more or less, to a point; thence, 550. Bearing S 02° 17' 30" W for a distance of 37.53 feet, more or less, to a point; thence, 551. Bearing S 03° 59' 39" E for a distance of 32.33 feet, more or less, to a point; thence, Bearing S 07° 15′ 28" E for a distance of 41.59 feet, more or less, to a point; thence, 552. 553. Bearing S 14° 20' 01" E for a distance of 36.39 feet, more or less, to a point; thence, 554. Bearing S 07° 03' 28" W for a distance of 73.31 feet, more or less, to a point; thence, 555. Bearing S 03° 44′ 03″ W for a distance of 34.58 feet, more or less, to a point; thence, 556. Bearing S 02° 47' 03" E for a distance of 30.74 feet, more or less, to a point; thence, 557. Bearing S 02° 10' 35" W for a distance of 59.30 feet, more or less, to a point; thence, 558. Bearing S 07° 54′ 45″ E for a distance of 54.53 feet, more or less, to a point; thence, 559. Bearing S 03° 10' 51" W for a distance of 40.57 feet, more or less, to a point; thence, 560. Bearing S 13° 00' 31" W for a distance of 20.01 feet, more or less, to a point; thence, 561. Bearing S 10° 37' 39" W for a distance of 36.63 feet, more or less, to a point; thence, 562. Bearing S 13° 38' 12" W for a distance of 25.47 feet, more or less, to a point; thence, 563. Bearing S 05° 23′ 30″ E for a distance of 39.93 feet, more or less, to a point; thence,

564. Bearing S 07° 36′ 08" E for a distance of 34.05 feet, more or less, to a point; thence, 565. Bearing S 07° 30′ 12″ E for a distance of 28.75 feet, more or less, to a point; thence, 566. Bearing S 03° 14' 32" W for a distance of 54.03 feet, more or less, to a point; thence, 567. Bearing S 09° 28' 12" W for a distance of 31.94 feet, more or less, to a point; thence, 568. Bearing S 14° 02' 51" E for a distance of 52.58 feet, more or less, to a point; thence, 569. Bearing S 16° 20′ 53″ E for a distance of 45.34 feet, more or less, to a point; thence, 570. Bearing S 07° 30′ 10″ E for a distance of 28.75 feet, more or less, to a point; thence, 571. Bearing S 01° 20' 02" W for a distance of 32.26 feet, more or less, to a point; thence, 572. Bearing S 04° 31′ 03" E for a distance of 28.59 feet, more or less, to a point; thence, 573. Bearing S 04° 45' 59" W for a distance of 18.06 feet, more or less, to a point; thence, 574. Bearing S 70° 55' 22" W for a distance of 20.65 feet, more or less, to a point; thence, 575. Bearing N 67° 54′ 25" W for a distance of 25.93 feet, more or less, to a point; thence, 576. Bearing N 51° 43′ 52" W for a distance of 18.17 feet, more or less, to a point; thence, 577. Bearing N 29° 04' 31" W for a distance of 15.45 feet, more or less, to a point; thence, 578. Bearing N 17° 15′ 14″ W for a distance of 22.78 feet, more or less, to a point; thence, 579. Bearing N 12° 32' 20" W for a distance of 20.75 feet, more or less, to a point; thence, 580. Bearing N 15° 26' 17" W for a distance of 22.57 feet, more or less, to a point; thence, 581. Bearing N 11° 41′ 42″ W for a distance of 22.21 feet, more or less, to a point; thence, 582. Bearing N 19° 40′ 14" W for a distance of 22.30 feet, more or less, to a point; thence, 583. Bearing N 13° 08' 30" W for a distance of 23.11 feet, more or less, to a point; thence, 584. Bearing N 18° 59' 09" W for a distance of 25.38 feet, more or less, to a point; thence, 585. Bearing N 19° 59' 49" W for a distance of 17.56 feet, more or less, to a point; thence, 586. Bearing N 22° 11' 01" W for a distance of 21.87 feet, more or less, to a point; thence, 587. Bearing N 24° 55′ 14″ W for a distance of 23.16 feet, more or less, to a point; thence, 588. Bearing N 42° 54' 09" W for a distance of 14.34 feet, more or less, to a point; thence, 589. Bearing N 67° 50′ 56″ W for a distance of 21.88 feet, more or less, to a point; thence, 590. Bearing N 74° 04' 06" W for a distance of 21.86 feet, more or less, to a point; thence, 591. Bearing N 85° 31' 10" W for a distance of 38.40 feet, more or less, to a point; thence, 592. Bearing S 78° 28' 32" W for a distance of 37.54 feet, more or less, to a point; thence, 593. Bearing S 84° 23' 11" W for a distance of 46.01 feet, more or less, to a point; thence, 594. Bearing N 86° 48' 48" W for a distance of 17.75 feet, more or less, to a point; thence, 595. Bearing N 90° 00' 00" W for a distance of 40.54 feet, more or less, to a point; thence, 596. Bearing N 88° 31' 57" W for a distance of 29.29 feet, more or less, to a point; thence, 597. Bearing S 85° 42' 53" W for a distance of 30.11 feet, more or less, to a point; thence, 598. Bearing S 71° 07' 41" W for a distance of 30.15 feet, more or less, to a point; thence, 599. Bearing S 62° 48' 09" W for a distance of 29.54 feet, more or less, to a point; thence, 600. Bearing S 61° 05' 34" W for a distance of 32.59 feet, more or less, to a point; thence, 601. Bearing S 64° 33' 17" W for a distance of 34.91 feet, more or less, to a point; thence, 602. Bearing S 53° 38' 16" W for a distance of 35.42 feet, more or less, to a point; thence, 603. Bearing S 51° 51' 53" W for a distance of 26.72 feet, more or less, to a point; thence, 604. Bearing S 43° 10' 32" W for a distance of 32.91 feet, more or less, to a point; thence, 605. Bearing S 56° 19' 52" W for a distance of 35.18 feet, more or less, to a point; thence, 606. Bearing S 55° 23' 52" W for a distance of 38.30 feet, more or less, to a point; thence, 607. Bearing S 52° 08' 49" W for a distance of 34.23 feet, more or less, to a point; thence,

608. Bearing S 41° 12' 29" W for a distance of 31.91 feet, more or less, to a point; thence, 609. Bearing S 49° 44′ 40″ W for a distance of 69.36 feet, more or less, to a point; thence, 610. Bearing S 61° 39' 01" W for a distance of 42.65 feet, more or less, to a point; thence, 611. Bearing S 51° 34' 04" W for a distance of 32.58 feet, more or less, to a point; thence, 612. Bearing S 44° 08' 34" W for a distance of 34.49 feet, more or less, to a point; thence, 613. Bearing S 30° 35' 57" W for a distance of 38.34 feet, more or less, to a point; thence, 614. Bearing S 30° 45' 21" W for a distance of 32.30 feet, more or less, to a point; thence, 615. Bearing S 35° 46' 29" W for a distance of 23.11 feet, more or less, to a point; thence, 616. Bearing S 46° 08' 47" W for a distance of 27.07 feet, more or less, to a point; thence, 617. Bearing S 43° 25' 56" W for a distance of 38.22 feet, more or less, to a point; thence, 618. Bearing S 32° 38' 22" W for a distance of 22.27 feet, more or less, to a point; thence, 619. Bearing S 32° 29' 35" W for a distance of 29.35 feet, more or less, to a point; thence, 620. Bearing S 42° 54' 09" W for a distance of 28.67 feet, more or less, to a point; thence, 621. Bearing S 46° 08' 43" W for a distance of 27.07 feet, more or less, to a point; thence, 622. Bearing S 44° 29' 38" W for a distance of 34.67 feet, more or less, to a point; thence, 623. Bearing S 48° 50′ 15″ W for a distance of 23.93 feet, more or less, to a point; thence, 624. Bearing S 58° 24' 46" W for a distance of 22.91 feet, more or less, to a point; thence, 625. Bearing S 43° 41' 23" W for a distance of 22.82 feet, more or less, to a point; thence, 626. Bearing S 19° 33′ 08" W for a distance of 24.67 feet, more or less, to a point; thence, 627. Bearing S 03° 45′ 11″ W for a distance of 45.85 feet, more or less, to a point; thence, 628. Bearing S 08° 53′ 09″ E for a distance of 48.59 feet, more or less, to a point; thence, 629. Bearing S 20° 14' 24" E for a distance of 45.57 feet, more or less, to a point; thence, 630. Bearing S 33° 21' 46" E for a distance of 34.13 feet, more or less, to a point; thence, 631. Bearing S 66° 49' 11" E for a distance of 34.30 feet, more or less, to a point; thence, 632. Bearing S 47° 50′ 07" E for a distance of 32.41 feet, more or less, to a point; thence, 633. Bearing S 52° 43′ 12" E for a distance of 39.63 feet, more or less, to a point; thence, 634. Bearing S 42° 12' 21" E for a distance of 32.40 feet, more or less, to a point; thence, 635. Bearing S 22° 51′ 01″ E for a distance of 30.93 feet, more or less, to a point; thence, 636. Bearing S 10° 18' 48" E for a distance of 25.16 feet, more or less, to a point; thence, 637. Bearing S 04° 03' 32" W for a distance of 52.50 feet, more or less, to a point; thence, 638. Bearing S 13° 00' 17" W for a distance of 30.02 feet, more or less, to a point; thence, 639. Bearing S 04° 24' 08" W for a distance of 29.34 feet, more or less, to a point; thence, Bearing S 00° 00' 00" E for a distance of 33.75 feet, more or less, to a point; thence, 640. 641. Bearing S 00° 00' 00" W for a distance of 30.00 feet, more or less, to a point; thence, 642. Bearing S 00° 00' 00" W for a distance of 18.75 feet, more or less, to a point; thence, 643. Bearing S 07° 16' 49" W for a distance of 15.68 feet, more or less, to a point; thence, 644. Bearing S 07° 16' 51" W for a distance of 19.86 feet, more or less, to a point; thence, 645. Bearing S 88° 36' 03" W for a distance of 142.48 feet, more or less, to a point; thence, 646. Bearing S 02° 02' 51" E for a distance of 27.62 feet, more or less, to a point; thence, 647. Bearing S 87° 50' 26" W for a distance of 52.33 feet, more or less, to a point; thence, 648. Bearing N 79° 45' 42" W for a distance of 4.25 feet, more or less, to a point; thence, 649. Bearing N 69° 54′ 00" W for a distance of 4.25 feet, more or less, to a point; thence, 650. Bearing N 60° 02' 18" W for a distance of 4.25 feet, more or less, to a point; thence, 651. Bearing N 50° 10' 36" W for a distance of 4.25 feet, more or less, to a point; thence,

652. Bearing N 40° 18' 54" W for a distance of 4.25 feet, more or less, to a point; thence, 653. Bearing N 30° 27' 12" W for a distance of 4.25 feet, more or less, to a point; thence, 654. Bearing N 20° 35′ 30″ W for a distance of 4.25 feet, more or less, to a point; thence, 655. Bearing N 10° 43' 48" W for a distance of 4.25 feet, more or less, to a point; thence, 656. Bearing N 00° 52' 06" W for a distance of 4.25 feet, more or less, to a point; thence, 657. Bearing N 08° 59′ 36″ E for a distance of 4.25 feet, more or less, to a point; thence, 658. Bearing N 01° 44′ 45″ W for a distance of 25.03 feet, more or less, to a point; thence, 659. Bearing N 89° 15' 39" W for a distance of 241.27 feet, more or less, to a point; thence, 660. Bearing S 00° 00' 00" W for a distance of 78.87 feet, more or less, to a point; thence, 661. Bearing S 88° 17' 48" W for a distance of 174.57 feet, more or less, to a point; thence, 662. Bearing S 88° 27' 21" W for a distance of 38.44 feet, more or less, to a point; thence, 663. Bearing N 87° 08' 28" W for a distance of 62.39 feet, more or less, to a point; thence, 664. Bearing N 87° 21' 36" W for a distance of 67.58 feet, more or less, to a point; thence, 665. Bearing S 88° 40' 09" W for a distance of 89.35 feet, more or less, to a point; thence, 666. Bearing S 87° 05' 27" W for a distance of 61.36 feet, more or less, to a point; thence, 667. Bearing S 87° 59' 33" W for a distance of 59.24 feet, more or less, to a point; thence, 668. Bearing S 88° 11' 32" W for a distance of 98.72 feet, more or less, to a point; thence, 669. Bearing N 88° 25' 59" W for a distance of 78.19 feet, more or less, to a point; thence, 670. Bearing N 89° 21' 24" W for a distance of 63.67 feet, more or less, to a point; thence, 671. Bearing S 88° 44' 30" W for a distance of 32.56 feet, more or less, to a point; thence, 672. Bearing S 88° 41' 02" W for a distance of 31.13 feet, more or less, to a point; thence, 673. Bearing S 81° 19' 16" W for a distance of 26.05 feet, more or less, to a point; thence, 674. Bearing S 79° 25' 35" W for a distance of 33.11 feet, more or less, to a point; thence, 675. Bearing S 81° 18' 42" W for a distance of 30.76 feet, more or less, to a point; thence, 676. Bearing S 75° 41' 51" W for a distance of 22.91 feet, more or less, to a point; thence, 677. Bearing S 43° 49' 44" W for a distance of 14.94 feet, more or less, to a point; thence, 678. Bearing S 45° 56' 00" W for a distance of 15.93 feet, more or less, to a point; thence, 679. Bearing S 47° 36′ 52″ W for a distance of 25.39 feet, more or less, to a point; thence, 680. Bearing S 40° 56' 17" W for a distance of 41.35 feet, more or less, to a point; thence, 681. Bearing S 60° 57' 52" W for a distance of 42.90 feet, more or less, to a point; thence, 682. Bearing S 70° 49' 42" W for a distance of 33.89 feet, more or less, to a point; thence, 683. Bearing S 01° 38′ 32″ E for a distance of 68.78 feet, more or less, to a point; thence, 684. Bearing S 00° 36' 37" E for a distance of 2552.09 feet, more or less, to a point; thence, 685. Bearing S 89° 12' 08" W for a distance of 2592.23 feet, more or less, to a point; thence, 686. Bearing N 79° 50′ 10″ W for a distance of 156.73 feet, more or less, to a point; thence, 687. Bearing S 89° 30′ 26" W for a distance of 684.49 feet, more or less, to a point; thence, 688. Bearing S 89° 20' 11" W for a distance of 655.20 feet, more or less, to a point; thence, 689. Bearing S 89° 23' 45" W for a distance of 564.10 feet, more or less, to a point; thence, 690. Bearing S 89° 28' 56" W for a distance of 825.40 feet, more or less, to a point; thence, 691. Bearing N 00° 28' 08" W for a distance of 1016.77 feet, more or less, to a point; thence, 692. Bearing N 00° 29' 39" W for a distance of 1732.19 feet, more or less, to a point; thence, 693. Bearing N 87° 28′ 30″ W for a distance of 63.62 feet, more or less, to a point; thence, 694. Bearing N 00° 29' 59" E for a distance of 886.56 feet, more or less, to a point; thence, 695. Bearing N 00° 24′ 38" E for a distance of 401.15 feet, more or less, to a point; thence,

- 696. Bearing N 00° 15′ 39″ E for a distance of 101.31 feet, more or less, to a point; thence,
- 697. Bearing N 00° 15′ 39" E for a distance of 702.78 feet, more or less, to a point; thence,
- 698. Bearing N 00° 11′ 08" W for a distance of 117.69 feet, more or less, to a point; thence,
- 699. Bearing N 00° 11′ 08" W for a distance of 502.58 feet, more or less, to a point; thence,
- 700. Bearing N 89° 28' 57" E for a distance of 280.85 feet, more or less, to a point; thence,
- 701. Bearing N 89° 28' 57" E for a distance of 265.50 feet, more or less, to a point; thence,
- 702. Bearing N 00° 00' 00" E for a distance of 621.29 feet, more or less, to a point; thence,
- 703. Bearing S 89° 36' 26" E for a distance of 1058.36 feet, more or less, to a point; thence,
- 704. Bearing N 00° 49′ 51″ W for a distance of 221.55 feet, more or less, to a point; thence,
- 705. Bearing N 00° 49' 45" W for a distance of 477.01 feet, more or less, to a point; thence,
- 706. Bearing S 89° 11′ 36" W for a distance of 228.16 feet, more or less, to a point; thence,
- 707. Bearing N 00° 47' 45" W for a distance of 1016.72 feet, more or less, to a point; thence,
- 708. Bearing N 89° 02' 45" E for a distance of 192.82 feet, more or less, to a point; thence,
- 709. Bearing N 00° 53' 10" W for a distance of 563.72 feet, more or less, to the Point of Beginning.

Lima Water District No. 5, as described above, contains approximately 4,705.59 acres of land.

All as shown on a map prepared by CPL, entitled "Town of Lima Proposed Water